



An ISO-9001 : 2015 certified Co.

CATALOGUE

The Propeller People

2022

NEW ADDITION
Updated

Till 01-09-2022



- ★ Gear Box Retainers
- ★ Brake Disc Rotor & Drum
- ★ Wheel Spanners
- ★ Propeller Shaft Pipes
- ★ Shaft Components
- ★ Yoke Assemblies
- ★ Reverse Yoke & Bottles
- ★ Serrated Couplings, Holders
&
Dynamically Balanced
- ★ Propeller Shaft Assemblies
- ★ Pump Drive Shafts

Introducing TN Series
Blue Prop. Shaft. Teeth
(Teflone Coated)



AN ISO - 9001 : 2015 CERTIFIED CO.


CENRON AUTO IMPEX, N. DELHI - 110005 (INDIA)

A Complete Range of Propeller Shaft Joint Parts & Assemblies

Welcome at www.cenron.org

for reasonable & reliable auto parts

Universal Joint Cross Kit - Inter Changeable Specification Chart



Part No.	Description	FIG.	D - Dia	L - Lock	Spicer Ref. No.	SRMT Ref. No.	GMB Ref No.
Cn-001	Tata 1210/Rotavator (With Double lock set)	A	38.04	57/102	5-1506X	RTB 490	GU 7300
Cn-002	Bedford, L/L 370	B	39.68	115.40	5-15X	RLL 493	GU 3500
Cn-003	L/L Viking	B	38.03	105.60	-	RLL 496	GU 7440
Cn-004	Tusker, Tata 1109 Ex- 1550 Series	B	34.94	126.20	5-155X	RLL 790	-
Cn-005	Tata - 407	B	30.04	81.80	-	RTB 830	GU 7420
Cn-006	Sumo Spicer	B	27.00	81.80	5-477X	RTB 820	GUM 73
Cn-007	Diesel Jeep	B	27.00	81.80	5-200X	RJP 155 D	GU 1000
Cn-007/1	Bolero Picup Front Axel	A	27.00	52.60	-	-	GU 1020
Cn-007/2	Terrex Earth Mover, Fiat	B	27.00	74.60	-	-	GU 1100
Cn-008	Trax N/M	B	30.04	81.80	-	RMD 563	-
Cn-009	Ambassador	B	23.82	61.30	5-111X	RHN 801	GU 500
Cn-010	Tata - 1312	A	46.05	68.70	INSKU-100233	RTB 690	-
Cn-011	Maruti Van / Eeco	A	25.00	40.00	5-1501X	-	GUN 27
Cn-012	Maruti Zypsy	B	25.02	63.80	5-1503X	-	GUM ZI
Cn-013	Steering 1210	A	28.00	48.70	-	RTB 505	-
Cn-014	Steering 407	B	18.00	42.20	-	-	-
Cn-015	Steering 1312	B	19.00	47	-	-	-
Cn-016	Cargo/Canter,Tata709 Turbo/Xylo	B	30.16	106.30	5-160X	RLL 500	GU 2050
Cn-017	DCM Toyota, Tata 410, 412, MF	B	30.16	92.10	5-178X	-	GU 2200
Cn-019	Taurus LT 1610 Series	B	47.62	134.90	15-701X	RLL 793	-
Cn-019/1	Bharat Benz 4928 2040 Series	B	47.68	135.11	2040 L 135	-	-
Cn-020	Taurus PT (with Patti kit)	D	47.62	134.90	-	-	GU 4000
Cn-022	2214 Spicer Spl. 90 Series	B	41.28	126.00	SPL-90X / 100X	RLL 796	-
Cn-024	JCB 3D,	C	D1-38.04	L1 - 56.70	-	-	-
			D2-35.00	L2-106.30	-	-	-
Cn-024/1	JCB 3DX,407 Pick up 1480 Series	B	34.94	106.0	-	-	-
Cn-024/2	Tractor Mahindra PTO Shaft	B	34.94	92.7	-	-	-
Cn-024/3	Tractor Pushpak Rotovator	B	34.94	100.0	-	-	-
Cn-025	Toyota Qualls / Innova	A	29.00	47.30	5-1510X	-	GUT- 21
Cn-027	Tata ACE	A	23.82	34.90	5-170X	-	-
Cn-027/1	Tata ACE Super N/M, Ace Mega	B	23.82	59.00	-	-	-
Cn-027/2	Tata ACE Mint	B	26.00	87.00	-	-	-
Cn-027/3	Tata Intra	B	26.00	59.50	-	-	-
Cn-028	Rotavator / Tata 1210 (Grease less)	B	38.02	57/102	-	-	-
Cn-029	Tata 2518 cEx P RSB 325 Series	B	42.02	119.60	15-702X	-	-
Cn-030	Tata 4018, 4022 Weld Plate 1710 Series	E	49.20	154.90	5-280X	RTB 800	-
Cn-031	Hippo-LT	B	49.20	154.80	-	-	-
Cn-032	Hippo-PT	D	49.20	154.80	-	-	GU 5000
Cn-033	Tata 2518 Ex RSB 403 Series	B	42.02	129.35	15-703X	-	-
Cn-034	Tata 4018 RSB 470 Series	B	48.00	135.00	-	-	-
Cn-034/1	Tata RSB Shaft RSB 585 Series	B	48.02	152.50	-	-	-
Cn-034/2	Tata RSB Shaft	B	48.02	126.00	-	-	-
Cn-035	Tata ACE Magic	B	22.00	55.00	15-103X	-	GU 1700
Cn-035/1	Tata Nano	B	20.01	54.50	-	-	GUMZ 2
Cn-036	Chevrolet Tavera	A	29.00	49.30	-	-	-
Cn-037	Canter 0/M	B	31.75	101.00	-	-	-
Cn-038	Tata 4928 Prima 590/2045 Series	B	52.04	147.00	2045 L147	-	-
Cn-039	Tata Hywa, AMW	B	52.04	133.00	-	-	GU 7560
Cn-040	Tata Hywa, AMW 1810 Series	B	57.02	144.00	-	-	GU 8130
Cn-041	Tata 4923, AMW, Volvo 620/2055 Series	B	57.02	152.00	2055 L152	-	GU 7630
Cn-043	AMW Machine Shaft (Patti Type)	D	59.02	167.70	-	-	-
Cn-043/1	AMW Big (Lock Type) 2060 Series	B	59.02	167.70	2060 L168	-	-

22.00 x 55.00 ← Cross Size → 23.82 x 34.9 - ← Cross Size → 23.82 x 61.30

<p>837</p>  <p>Turning Dia - 41mm Pipe Dia - 46mm Height - 74mm</p> <p>Tata ACE Magic</p>		<p>832</p>  <p>Turning Dia - 41mm Pipe Dia - 46mm Height - 72mm</p> <p>Tata ACE O/M</p>		<p>942</p>  <p>Turning Dia - 60mm Pipe Dia - 66mm (2½") Height - 69mm</p> <p>Ambassdor</p>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Cross Size - 27.00 x 81.80 (Mahindra Jeep)

<p>932</p>  <p>Turning Dia - 40.6mm Pipe Dia - 46mm Height - 76mm</p> <p>Mahindra Maximo</p>	<p>827</p>  <p>Turning Dia - 47mm Pipe Dia - 52mm Height - 82mm</p> <p>Tata ACE Super</p>	<p>814/2, 792</p>  <p>Turning Dia - 60.6mm Pipe Dia - 66mm Height - 57mm</p> <p>Mahindra Jeep</p>	<p>792/2</p>  <p>Turning Dia - 66mm Pipe Dia - 72mm (2½") Height - 87mm</p> <p>Scorpio Maxi Truck</p>	<p>792/1</p>  <p>Turning Dia - 71mm Pipe Dia - 76mm (3") Height - 80mm</p> <p>MaXx Picup</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

27.00 x 81.80 ← Cross Size → 30.04 x 81.80 ← Cross Size → 30.16 x 92.10

<p>962</p>  <p>Turning Dia - 46.5mm Pipe Dia - 52mm Height - 84mm</p> <p>Leyland Dost</p>	<p>782, 856</p>  <p>Turning Dia - 59.5mm Pipe Dia - 66mm (2½") Height - 84mm</p> <p>Tata Yodha</p>	<p>762, 772, 818/2</p>  <p>Turning Dia - 53.9mm Pipe Dia - 60mm (2½") Height - 90mm</p> <p>Tata 407</p>		<p>817/2</p>  <p>Turning Dia - 71mm Pipe Dia - 76mm (3") Height - 95mm</p> <p>Tata 410 MSL</p>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

30.16 x 106.30 ← Cross Size → 34.94 x 106.00 (JCB 3Dx)

<p>757, 815/2, 820/2, 952</p>  <p>Turning Dia - 71mm Pipe Dia - 76mm (3") Height - 94mm</p> <p>Eicher Canter N/M</p>			<p>811/2</p>  <p>Turning Dia - 71mm Pipe Dia - 76mm (3") Height - 95mm</p> <p>Tata 710</p>	<p>816/2</p>  <p>Turning Dia - 84mm Pipe Dia - 89mm (3½") Height - 94mm</p> <p>407 Picup</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Cross Size - 34.94 x 126.20 (Tusker)

<p>812/2, 896</p>  <p>Turning Dia - 71.6mm Pipe Dia - 76mm (3") Height - 108mm</p> <p>Tusker MSL</p>	<p>861, 872, 897, 1202</p>  <p>Turning Dia - 84mm Pipe Dia - 89mm (3½") Height - 106mm</p> <p>Tusker MSL</p>	<p>984</p>  <p>Turning Dia - 84mm Pipe Dia - 89mm (3½") Height - 110mm</p> <p>Tusker MSL (Long)</p>	<p>984/2</p>  <p>Turning Dia - 95mm Pipe Dia - 101mm (4") Height - 112mm</p> <p>Tusker MSL (Long)</p>	<p>984/4</p>  <p>Turning Dia - 95mm Pipe Dia - 101mm (4") Height - 125mm</p> <p>Tusker MSL (Extra Long)</p>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Cross Size - 38.04 x 56.7 (Inner) (Tata 1210)

<p>762/1</p>  <p>Turning Dia - 53.9mm Pipe Dia - 60mm (2½") Height - 119mm</p> <p>Tata 407 N/M</p>	<p>802, 813/2</p>  <p>Turning Dia - 64.3mm Pipe Dia - 70mm (2¾") Height - 119mm</p> <p>Tata 1210</p>	<p>821</p>  <p>Turning Dia - 68mm Pipe Dia - 76mm (3") Height - 119mm</p> <p>Tata SE</p>		
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--

Cross Size - 39.68 x 115.40 (Leyland 370)

<p>882</p>  <p>Turning Dia - 71.6mm Pipe Dia - 76mm (3") Height - 124mm</p> <p>Leyland Bedford</p>	<p>883, 984/1</p>  <p>Turning Dia - 84mm Pipe Dia - 89mm (3½") Height - 131mm</p> <p>Leyland Bedford</p>			
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	--

Cross Size - 41.28 x 126.00 (Leyland Spicer Spl. 90)

		<p>984/3, 995/1, 1042</p>  <p>Turning Dia - 84mm Pipe Dia - 89mm (3½") Height - 134mm</p> <p>Leyland 2516</p>	<p>972, 1072, 1752</p>  <p>Turning Dia - 95mm Pipe Dia - 101mm (4") Height - 128mm</p> <p>Tata, L/L 2214</p>	<p>972/1</p>  <p>Turning Dia - 95mm Pipe Dia - 101mm (4") Height - 147mm</p> <p>Tata, L/L 2214</p>
--	--	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Cross Size - 42.02 x 119.60

<p>1022</p>  <p>Turning Dia - 84mm Pipe Dia - 89mm (3½") Height - 120mm</p> <p>Tata 2518 cEx</p>	<p>1022/2</p>  <p>Turning Dia - 84mm Pipe Dia - 89mm (3½") Height - 130mm</p> <p>Tata 2518 cEx</p>	<p>1022/1</p>  <p>Turning Dia - 95mm Pipe Dia - 101mm (4") Height - 132mm</p> <p>Tata 2518 cEx</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">325 Series</p>		
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--

Cross Size - 42.02 x 129.35 (RSB Shafts)

		<p>1032</p>  <p>Turning Dia - 84mm Pipe Dia - 89mm (3½") Height - 135mm</p> <p>Tata, L/L 2515</p>	<p>1032/1, 1072/1</p>  <p>Turning Dia - 95mm Pipe Dia - 101mm (4") Height - 135mm</p> <p>Tata, L/L 2515</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">403 Series</p>	<p>1032/2, 1132</p>  <p>Turning Dia - 95mm Pipe Dia - 101mm (4") Height - 147mm</p> <p>Tata, L/L 2515 Long</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">403 Series</p>
--	--	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Cross Size - 46.05 x 68.70 (Inner) Tata 1312 / 1612)

<p>842/1</p>  <p>Turning Dia - 76mm Pipe Dia - 82mm (3¼") Height - 135mm</p> <p>Tata 1312 Tipper</p>	<p>842, 995</p>  <p>Turning Dia - 84mm Pipe Dia - 89mm (3½") Height - 141mm</p> <p>Tata 1312</p>	<p>1042/1</p>  <p>Turning Dia - 95mm Pipe Dia - 101mm (4") Height - 141mm</p> <p>Tata 1616</p>		
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--

Cross Size - 47.70 x 135.0 (2040 Series)

Cross Size - 47.62 x 134.90 (Taurus LT / PT)

<p>1062/9, 1305</p>  <p>Turning Dia - 95mm Pipe Dia - 101mm (4") Height - 155mm</p> <p>Tata, Bharat Benz 4928</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">2040 Series</p>	<p>1306</p>  <p>Turning Dia - 114mm Pipe Dia - 122mm (4¾") Height - 153mm</p> <p>Bharat Benz</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">2040 Series</p>		<p>912</p>  <p>Turning Dia - 84mm Pipe Dia - 89mm (3½") Height - 151mm</p> <p>Leyland Taurus (Lock)</p>	<p>922</p>  <p>Turning Dia - 84mm Pipe Dia - 89mm (3½") Height - 151mm</p> <p>Leyland Taurus (Plate)</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Cross Size - 48.00 x 135.00 (Tata 4018 Lock Type (RSB))

Cross Size - 48.00 x 154.00

1062



Turning Dia - 95mm
Pipe Dia - 101mm (4")
Height - 140mm

Tata 4018, L/L 4921

1062/1



Turning Dia - 95mm
Pipe Dia - 101mm (4")
Height - 140mm

Tata 4018, L/L 4921


490 Series

1062/6



Turning Dia - 112mm
Pipe Dia - 120mm (4 3/4")
Height - 153mm

Tata 4018, L/L 4921 Long



1286



Turning Dia - 95mm
Pipe Dia - 101mm (4")
Height - 157mm

RSB -585 Series

49.20 x 154.90 (Tata 4018 P / T) ← Cross Size →

52.00 x 147.00

1212



Turning Dia - 84mm
Pipe Dia - 89mm (3 1/2")
Height - 181mm

Leyland Hippo-8


1052, 1092, 1102, 1112



Turning Dia - 95mm
Pipe Dia - 101mm (4")
Height - 140mm

Tata, L/L 4018

1710 Series



1252



Turning Dia - 110mm
Pipe Dia - 120mm (4 3/4")
Height - 152mm

Tata 4928 Prima

590 Series

1252/1



Turning Dia - 110mm
Pipe Dia - 120mm (4 3/4")
Height - 152mm

Tata 4928 Prima

2045 Series


52.00 x 133.00 ← Cross Size → 57.00 x 144.00 ← Cross Size → 57.00 x 152.00

1242



Turning Dia - 95mm
Pipe Dia - 101mm (4")
Height - 142mm

Tata, AMW




1282



Turning Dia - 110mm
Pipe Dia - 120mm (4 3/4")
Height - 165mm

AMW, MAN, TATA

1810 Series



1262




Turning Dia - 110mm
Pipe Dia - 120mm (4 3/4")
Height - 164mm

Tata 4923

620 Series


Easy Search Table for : Half Yoke

Cross Fitting	Pipe Ø 2 3/8"		Pipe Ø 2 3/4"		Pipe Ø 3"		Pipe Ø 3 1/2"		Pipe Ø 4"		Pipe Ø 4 1/4"		Pipe Ø 4 3/4"	
	Turn Ø 53mm		Turn Ø 63mm		Turn Ø 69 / 71		Turn Ø 84mm		Turn Ø 91 / 95		Turn Ø 100mm		Turn Ø 112mm	
	Cn-No.	L	Cn-No.	L	Cn-No.	L	Cn-No.	L	Cn-No.	L	Cn-No.	L	Cn-No.	L
D.Jeep (Cn-007)			792/2	85	792/1	85								
Tata 407 (Cn-005)	762	90												
30.2 x 92 (Cn-017)					817/2									
Canter (Cn-016)					757	93								
Tata 1210 (Cn-001)	762/1	120	802	120	821	120								
35 x 106 (Cn-024/1)					811/2	95	816/2	95						
Tusker (Cn-004)					896	105	872	105	984/2	107				
L/L - 370 (Cn-002)					882	120	984	115	984/4	125				
L/L Spicer (Cn-022)							984/3	15	972	128				
									972/1	135				
42 x 120 (Cn-029)							1022	120	1022/1	127				
							1022/2	130						
42 x 129 (Cn-033)							1032	120	1032/1	127				
									1032/2	140				
Tata 1312 (Cn-010)					842/1	135	842	135	1042/1	140				
Taurus L/T (Cn-019)							912	145	1062/9	135				
Taurus P/T (Cn-020)							922	145						
47.7 x 135 (Cn-019/1)									1305	153			1306	153
48 x 135 (Cn-034)									1062	135			1062/6	
									1062/1	135				
48 x 154 (Cn-034/1)									1286	157				
4018 P/T (Cn-030)									1052	130				
Hippo P/T (Cn-032)							1212	183						
52 x 133 (Cn-039)									1242	150				
52 x 147 (Cn-038)									1252	162	1252/2	162	1251/1	152
57 x 152 (Cn-041)													1262	152




Easy Search Table for : Cross Holders

Base Dia	Ø 4¾" or 120 mm			Ø 5" or 130 mm			Ø 6" or 145 mm			Ø 6½" or 165 mm			Ø 7" or 175 mm		
	Tata 1210 Plate			Tata 1312 Plate			L/L 370 Plate			4018 Plate			Taurus Plate		
Holes	Cn-No.	Cross	Ht.	Cn-No.	Cross	Ht.	Cn-No.	Cross	Ht.	Cn-No.	Cross	Ht.	Cn-No.	Cross	Ht.
4 Hole				951	Canter	69	881	L/L370	95						
							895	Tusker	80						
							983	Tusker	105						
							983/3	L/L Spicer	105						
							1761/1	35 x 106	75						
6 Hole	801	Tata 1210	87												
	812/1	Tusker	90												
	815/1	Canter	88												
	816/1	35 x 106	88												
	817/1	Chevrolet	88												
	841/1	Tata 1312	113												
8 Hole				813/1	Tata 1210	90	1021/3	42 x 120	100	1031	42 x 129	135	911	Taurus L/T	116
				841	Tata 1312	113	1021/5	42 x 120	116	1051	4018 PT	135	921	Taurus P/T	120
				871	Tusker	114	1031/4	42 x 129	130	1051/1	L/L Spicer	125	971	L/L Spicer	115
				990	Tata 1312	118	1041	Tata 1312	121	1051/6	L/L Spicer	115	1031/3	42 x 129	135
				990/2	L/L Spicer	113	1041/2	L/L Spicer	116	1061	48 x 135	126			
				1021	40 x 120	110	1041/2	42 x 129	116	1281	57 x 144	136			
				1031/7	42 x 129	116	1061/5	48 x 135	126						
				1051/7	4018 PT	145	1088/1	Tusker	106						
10 Hole													1261	57x152	140



Serrated Base Cross Holders

4 Hole	756/4	Canter	81	971/3	L/L Spicer	110	971/1	L/L Spicer	110							
	816/3	3 5x 106	84	1021/1	42 x 120	110	971/2	L/L Spicer	127							
	1201/1	Tusker	94				1021/2	42 x 120	110							
							1021/4	42 x 120	127							
							1031/1	42 x 129	127							
							1031/2	42 x 129	105							
							1041/4	Tata 1312	125							
							1051/2	4018 P/T	120					1031/5	42 x 129	128
							1051/4	4018 P/T	130					1051/3	4018 P/T	120
							1061/1	48 x 135	116					1061/2	48 x 135	112
							1061/3	48 x 135	134					1061/4	48 x 135	128
							1088	Tusker	100					1241/1	52 x 133	128
							1241	52 x 133	125					1251/1	52 x 47	140
							1251	52 x 147	125					1251/2	52 x 147	125
							1251/3	52 x 147	140					1261/1	57 x 152	135
							1285	48 x 154	130					1261/2	57 x 152	150
							1302	47.7 x 135	120					1303	47.7 x 135	112
							1302/1	47.7 x 135	135					1303/1	47.7 x 135	138



We will certainly appreciate your intimation about any error in our efforts in tabulating the informations. Kindly inform at mantry@cenron.org or at our customer care no.: +91-9711 2111 24

The specifications are for references only.

4 Holes

<p>836</p>  <p>Cross - 22.00 x 55.00 (CR-035) Plate - Square (70 x 76mm) Height - 58mm, PCD - 69.8mm</p> <p>Tata Magic</p>	<p>831</p>  <p>Cross - 23.82 x 34.90 Inn. (CR-027) Plate - Square (68 x 70mm) Height - 62mm, PCD - 69.8mm</p> <p>Tata ACE O/M</p>	<p>941</p>  <p>Cross - 23.82 x 61.30 (CR-009) Plate - Round (86mm) Height - 53mm, PCD - 70.5mm</p> <p>Ambassdor</p>	<p>941/1</p>  <p>Cross - 23.82 x 61.30 (CR-009) Plate - Round (86mm) Height - 53mm, PCD - 70.5mm</p> <p>Ambassdor (Milled)</p>	
<p>931</p>  <p>Cross - 27.00 x 81.80 (CR-007) Plate - Square (68 x 76mm) Height - 60mm, PCD - 69.8mm</p> <p>Maximo</p>	<p>791, 814/1</p>  <p>Cross - 27.00 x 81.80 (CR-007) Plate - Round - 98mm (4") Height - 63mm, PCD - 69.4mm</p> <p>Jeep (Round)</p>	<p>791/1</p>  <p>Cross - 27.00 x 81.80 (CR-007) Plate - Square (83 x 95mm) Height - 61mm, PCD - 69.4mm</p> <p>Jeep (Square)</p>	<p>826 / 855</p>  <p>Cross - 27.00 x 81.80 (CR-007) Plate - Square (86 x 100mm) Height - 65mm, PCD - 90.0mm</p> <p>Tata ACE Super</p>	<p>961</p>  <p>Cross - 27.00 x 81.80 (CR-007) Plate - Square (80 x 96mm) Height - 65mm, PCD - 80.8mm</p> <p>Leyland Dost</p>
<p>951</p>  <p>Cross - 30.16 x 106.30 (CR-016) Plate - Round - 130mm (5") Height - 65mm, PCD - 104mm</p> <p>Swaraj Mazda</p>	<p>951/1</p>  <p>Cross - 30.16 x 106.30 (CR-016) Plate - Square (100 x 120mm) Height - 66mm, PCD - 104.5mm</p> <p>Swaraj Mazda</p>	<p>756</p>  <p>Cross - 30.16 x 106.30 (CR-016) Plate - Square 104 x 120 Height - 70mm, PCD - 99.5mm</p> <p>Eicher Canter N/M</p>	<p>756/4</p>  <p>Cross - 30.16 x 106.30 (CR-016) Plate - Round - 120mm (4.75") Height - 81mm, PCD - 100mm</p> <p>Leyland Cargo</p>	<p>1761/1 / 2113/4</p>  <p>Cross - 35.0 x 106.0 (CR-024/1) Plate - Square 120 x 140 Height - 75mm, PCD - 120.5mm</p> <p>Eicher Pro 30.15</p>
<p>895 / 2101 / 2112/4</p>  <p>Cross - 34.94 x 126.20 (CR-004) Plate - Square 120 x 140 Height - 80mm, PCD - 120.5mm</p> <p>Tusker MSL</p>	<p>983</p>  <p>Cross - 34.94 x 126.20 (CR-004) Plate - Square 120 x 145 Height - 105mm, PCD - 120.5mm</p> <p>Tata, L/L 2516 Interaxle</p>	<p>1201/1</p>  <p>Cross - 34.94 x 126.20 (CR-004) Plate - Round - 120mm (4.75") Height - 94mm, PCD - 100mm</p> <p>L/C Stag - 4 3/4"</p>	<p>881</p>  <p>Cross - 39.68 x 115.40 (CR-002) Plate - Round - 145mm (6") Height - 95mm, PCD - 120.5mm</p> <p>L/L Bedford</p>	<p>983/1</p>  <p>Cross - 39.68 x 115.40mm (Cr-002) Plate - Square - 120 x 145 Height - 105mm - PCD - 120.5mm</p> <p>Tata L/L 2516 TC</p>
<p>971/3</p>  <p>Cross - 41.28 x 126.00 (CR-022) Plate - Round - 130mm (5") Height - 110mm, PCD - 110mm</p> <p>Tata, L/L 2214 - 5"</p>	<p>971/1, 1071</p>  <p>Cross - 41.28 x 126.00 (CR-022) Plate - Round - 150mm (6") Height - 110mm, PCD - 130mm</p> <p>Tata, L/L 2214 - 6"</p>	<p>971/2, 1121</p>  <p>Cross - 41.28 x 126.00 (CR-022) Plate - Round - 150mm (6") Height - 127mm, PCD - 130mm</p> <p>Tata, L/L 2214 - 6" (Long)</p>	<p>983/3</p>  <p>Cross - 41.28 x 126.00 (CR-022) Plate - Square, 120 x 145 Height - 105mm, PCD - 120.5mm</p> <p>Tata, L/L 2516 Interaxle</p>	
<p>1021/1</p>  <p>Cross - 42.02 x 119.60 (CR-029) Plate - Round - 130mm (5") Height - 110mm, PCD - 110mm</p> <p>Tata 2515 Ex. - 5"</p>	<p>1021/2</p>  <p>Cross - 42.02 x 119.60 (CR-029) Plate - Round - 150mm (6") Height - 110mm, PCD - 130mm</p> <p>Tata, L/L 2515 Ex. - 6"</p>	<p>1021/4</p>  <p>Cross - 42.02 x 119.60 (CR-029) Plate - Round - 150mm (6") Height - 127mm, PCD - 130mm</p> <p>Tata, L/L 2515 - 6" (Long)</p>		
<p>1031/2</p>  <p>Cross - 42.02 x 129.35 (CR-033) Plate - Round - 150mm (6") Height - 105mm, PCD - 130mm</p> <p>Tata 2518 RSB - 6"</p>	<p>1031/1, 1071/1, 1131</p>  <p>Cross - 42.02 x 129.35 (CR-033) Plate - Round - 150mm (6") Height - 127mm, PCD - 130mm</p> <p>Tata 2518 RSB - 6" (Long)</p>	<p>1031/5</p>  <p>Cross - 42.02 x 129.35 (CR-033) Plate - Round - 180mm (7") Height - 128mm, PCD - 150mm</p> <p>Tata 2518 RSB - 7"</p>		
				<p>1041/4</p>  <p>Cross - 46.05 x 68.70 (CR-010) Plate - Round - 150mm (6") Height - 125mm, PCD - 130mm</p> <p>Tata 1616, 3015 Ex - 6"</p>

4 Holes

 <p>1302</p> <p>Cross - 47.68 x 135mm (CR-019/1) Plate - Round - 180mm (6") Height - 120mm - PCD - 130mm</p> <p>Bharat Benz / Tata</p>	 <p>1303</p> <p>Cross - 47.68 x 135mm - (CR-019/1) Plate - Round - 180mm (7") Height - 112mm - PCD - 150mm</p> <p>Bharat Benz / Tata</p>	 <p>1061/8 / 1303/1</p> <p>Cross - 47.68 x 135mm (CR-019/1) Plate - Round - 180mm (7") Height - 130mm - PCD - 150 mm</p> <p>Tata Leyland 4921</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">2040 Series</p>	 <p>1061/9 / 1302/1</p> <p>Cross - 47.68x135.20 (CR-019) Plate - Round - 150mm (6") Height - 135mm, PCD - 130mm</p> <p>Tata, L/L 4921 - 6" (Long)</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">2040 Series</p>	
 <p>1061/1</p> <p>Cross - 48 x 135 (CR-034) Plate - Round - 150mm (6") Height - 116mm, PCD - 130mm</p> <p>Tata, L/L 4921 - 6"</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">490 Series</p>	 <p>1061/3</p> <p>Cross - 48 x 135 (CR-034) Plate - Round - 150mm (6") Height - 134mm, PCD - 130mm</p> <p>Tata, L/L 4921 - 6" (Long)</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">490 Series</p>	 <p>1061/2</p> <p>Cross - 48 x 135 (CR-034) Plate - Round - 180mm (7") Height - 112mm, PCD - 150mm</p> <p>Tata, L/L 4921 - 7"</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">490 Series</p>	 <p>1061/4</p> <p>Cross - 48 x 135 (CR-034) Plate - Round - 180mm (7") Height - 128mm, PCD - 150mm</p> <p>Tata, L/L 4921 - 7" (Long)</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">490 Series</p>	
 <p>1051/2, 1091/2, 1101</p> <p>Cross - 49.20 x 154.90 (CR-030) Plate - Round - 150mm (6") Height - 120mm, PCD - 130mm</p> <p>Tata, L/L 4018 PT - 6"</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">1710 Series</p>	 <p>1051/4, 1091/1</p> <p>Cross - 49.20 x 154.90 (CR-030) Plate - Round - 150mm (6") Height - 130mm, PCD - 130mm</p> <p>Tata, L/L 4018 PT - 6" (Long)</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">1710 Series</p>	 <p>1051/3, 1091/3, 1111</p> <p>Cross - 49.20 x 154.90 (CR-030) Plate - Round - 180mm (7") Height - 120mm, PCD - 150mm</p> <p>Tata, L/L 4018 PT - 7"</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">1710 Series</p>		 <p>1241</p> <p>Cross - 52 x 133mm (CR -039) Plate - Round - 150mm - (6") Height - 116mm - PCD - 130 mm</p> <p>Tata Hywa N/M AMW</p>
 <p>1251</p> <p>Cross - 52x 147mm (CR-038) Plate - Round - 150mm - (6") Height - 125mm - PCD - 130mm</p> <p>Tata 4928 Prima</p>	 <p>1251/1</p> <p>Cross - 52 x 147mm (CR-038) Plate - Round - 180mm - (7") Height - 140mm - PCD - 150mm</p> <p>Tata 4928 Prima</p>	 <p>1251/2</p> <p>Cross - 52 x 147mm - (CR-038) Plate - Round - 180mm - (7") Height - 125mm - PCD - 150mm</p> <p>Tata 4928 Prima</p>	 <p>1251/3</p> <p>Cross - 52 x 147 (CR-038) Plate - Round - 150mm - (6") Height - 140mm - PCD - 130 mm</p> <p>Tata 4928 Prima RSB</p>	
 <p>1261/1</p> <p>Cross - 57 x 152mm (CR-041) Plate - Round - 180mm - (7") Height - 135mm - PCD - 150mm</p> <p>Tata 4923 Hywa, AMW</p>	 <p>1261/2</p> <p>Cross - 57 x 152mm (CR-041) Plate - Round - 180mm - (7") Height - 150mm - PCD - 150mm</p> <p>Tata 4923 Hywa, AMW</p>		 <p>1761/1</p> <p>Cross - 35x 106mm (CR-024/1) Plate - Square - 103 x 120mm Height - 75mm - PCD - 120.5mm</p> <p>Eicher Pro 30.15</p>	 <p>1285</p> <p>Cross - 48 x 154mm (CR-034/1) Plate - Round - 150mm (6") Height - 130mm - PCD - 130mm</p> <p>RSB Series 585</p>

6 Holes

 <p>761, 771, 818/1</p> <p>Cross - 30.04 x 81.80 (CR-005) Plate - Round - 100mm (4") Height - 74mm, PCD - 84.5mm</p> <p>Tata 407</p>	 <p>819/1</p> <p>Cross - 30.16 x 92.10 (CR-017) Plate - Round - 100mm (4") Height - 75mm, PCD - 84.5mm</p> <p>Tata 407 Turbo</p>	 <p>817/1</p> <p>Cross - 30.16 x 92.10 (CR-017) Plate - Round - 120mm (4.75") Height - 88mm, PCD - 101.5mm</p> <p>Tata 410 MSL</p>	 <p>815/1, 820/1</p> <p>Cross - 30.16 x 106.30 (CR-016) Plate - Round - 120mm (4.75") Height - 88mm, PCD - 101.5mm</p> <p>Tata 709 Turbo</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">1410 Series</p>	
	 <p>816/1, 811/1</p> <p>Cross - 34.94 x 106.00 (CR-024/1) Plate - Round - 120mm (4.75") Height - 88mm, PCD - 101.5mm</p> <p>Tata 407 Picup</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">1480 Series</p>	 <p>812/1</p> <p>Cross - 34.94 x 126.20 (CR-004) Plate - Round - 120mm (4.75") Height - 90mm, PCD - 101.5mm</p> <p>Tata 712, 909 Turbo</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">1550 Series</p>	 <p>801</p> <p>Cross - 38.04 x 56.70 Inn.(CR-001) Plate - Round - 120mm (4.75") Height - 87mm, PCD - 101.5mm</p> <p>Tata 1210</p>	 <p>841/1</p> <p>Cross - 46.05 x 68.70 (CR-010) Plate - Round - 120mm (4.75") Height - 113mm, PCD - 101.5mm</p> <p>Tata 1312 Tipper</p>

8 Holes


<p>871, 860, 1201/2</p> <p>1550 Series</p> <p>Cross - 34.94 x 126.20 (CR-004) Plate - Round - 130mm (5") Height - 114mm, PCD - 112mm</p> <p>Tata 1109, L/L Ecomet</p>	<p>1088/1</p> <p>1550 Series</p> <p>Cross - 34.94 x 126.20 (CR-004) Plate - Round - 145mm (6") Height - 106mm, PCD - 130mm</p> <p>L/L 2515, 2518</p>	<p>813/1</p> <p>Cross - 38.04 x 56.70 (CR-001) Plate - Round - 130mm (5") Height - 90mm, PCD - 112mm</p> <p>Tata 709, 712</p>	<p>1021</p> <p>325 Series</p> <p>Cross - 42.02 x 119.60 (CR-029) Plate - Round - 130mm (5") Height - 110mm, PCD - 112mm</p> <p>Tata 2518 cEx - 5"</p>	<p>1021/3</p> <p>325 Series</p> <p>Cross - 42.02 x 119.60 (CR-029) Plate - Round - 145mm (6") Height - 100mm, PCD - 130mm</p> <p>Tata 2518 cEx</p>
<p>990/2, 1751/1</p> <p>Spl. 90 Series</p> <p>Cross - 41.28 x 126 (CR-022) Plate - Round - 130mm (5") Height - 113mm, PCD - 112mm</p> <p>Tata 2515, Eicher Jumbo - 5"</p>	<p>971, 990/1, 1751</p> <p>Cross - 41.28 x 126 (CR-022) Plate - Round - 175mm (7") Height - 115mm, PCD - 155.5mm</p> <p>Tata L/L 2214 - 7"</p>	<p>1041/1</p> <p>Spl. 90 Series</p> <p>Cross - 41.28 x 126.00 (CR-022) Plate - Round - 145mm (6") Height - 116mm, PCD - 130mm</p> <p>Tata 1616, 3015Ex</p>	<p>1051/6</p> <p>Spl. 90 Series</p> <p>Cross - 41.28 x 126.00 (CR-022) Plate - Round - 165mm (6.5") Height - 116mm, PCD - 133.5mm</p> <p>Tata, L/L 4018</p>	<p>1051/1</p> <p>Spl. 90 Series</p> <p>Cross - 41.28 x 126.00 (CR-022) Plate - Round - 165mm (6.5") Height - 125mm, PCD - 133.5mm</p> <p>Tata, L/L 4018</p>
<p>1031</p> <p>Cross - 42.02 x 129.35 (CR-033) Plate - Round - 130mm (5") Height - 135mm, PCD - 133.5mm</p> <p>Tata, L/L 2518 RSB</p>	<p>1031/3</p> <p>403 Series</p> <p>Cross - 42.02 x 129.35 (CR-033) Plate - Round - 175mm (7") Height - 135mm, PCD - 155.5mm</p> <p>Tata, L/L 2518 RSB-7" (Long)</p>	<p>1031/4</p> <p>Cross - 42 x 129mm (Cr-033) Plate - Round - 145mm (6") Height - 130mm - PCD -130mm</p> <p>Tata L/L 4018</p>	<p>1031/7</p> <p>403 Series</p> <p>Cross - 42.02 x 129.35 (CR-033) Plate - Round - 130mm (5") Height - 116mm, PCD - 112mm</p> <p>Tata, L/L - 2518 RSB - 5"</p>	<p>1041/2</p> <p>403 Series</p> <p>Cross - 42.02 x 129.35 (CR-033) Plate - Round - 145mm (6") Height - 116mm, PCD - 130mm</p> <p>Tata 1616, 3015Ex</p>
<p>841</p> <p>Cross - 46.05 x 68.70 (CR-010) Plate - Round - 130mm (5") Height -113mm, PCD - 112mm</p> <p>Tata 1312 / 1612</p>	<p>990</p> <p>Cross - 46.05 x 68.70 (CR-010) Plate - Round - 130mm (5") Height - 118mm, PCD - 112mm</p> <p>Tata 2515, 2516 - 5"</p>	<p>1041</p> <p>Cross - 46.05 x 68.70 (CR-010) Plate - Round - 145mm (6") Height - 121mm, PCD - 130mm</p> <p>Tata 1616, 3015 Ex</p>	<p>911</p> <p>Cross - 47.62 x 134.90 (CR-019) Plate - Round - 175mm (7") Height -116mm, PCD - 155.5mm</p> <p>Leyland Taurus LT</p>	<p>921</p> <p>Cross - 47.62 x 134.90 (CR-020) Plate - Round - 175mm (7") Height -120mm, PCD - 155.5mm</p> <p>Leyland Taurus PT</p>
<p>1061</p> <p>490 Series</p> <p>Cross - 48.00 x 135.00 (CR-034) Plate - Round - 165mm (6.5") Height - 126mm, PCD - 133.5mm</p> <p>Tata, L/L 4018</p>	<p>1061/5</p> <p>490 Series</p> <p>Cross - 48.00 x 135.00 (CR-034) Plate - Round - 145mm (6") Height - 126mm, PCD - 130mm</p> <p>L/L 4921, 4018 LT</p>	<p>1301</p> <p>Cross - 47.68 x 135 (CR-019/1) Plate - Round - 130mm (5") Height - 132mm, PCD - 112mm</p> <p>Bharat Benz Tata</p>	<p>1051, 1091</p> <p>1710 Series</p> <p>Cross - 49.20 x 154.90 (CR-030) Plate - Round - 165mm (6.5") Height - 135mm, PCD - 133.5mm</p> <p>Tata, L/L 4018</p>	<p>1051/7</p> <p>Cross - 49.2 x 155mm (CR- 030) Plate - Round - 130mm (5") Height - 145mm - PCD -112mm</p> <p>Tata, 4018 / 4022</p>

Cross Holder Assemblies (Used in Machines)

<p>948, 2110</p> <p>Holes - 4 Nos x 8mm Cross - 23.82 x 61.30 (CR-009) Plate - Round - 86mm (3 3/4") Height - 63mm, PCD - 70.5mm</p> <p>Escorts K-10 Crane</p>	<p>761/1</p> <p>Holes - 6 Nos x 8mm Cross - 30.04 x 81.80 (CR-005) Plate - Round - 100mm (4") Height - 102mm, PCD - 84.5mm</p> <p>Tata 407</p>	<p>801/1</p> <p>Holes - 6 Nos x 10mm Cross - 38.04 x 56.7 Inn. (CR-001) Plate - Round - 120mm (4 3/4") Height - 110mm, PCD - 101.5mm</p> <p>Tata 1210</p>	<p>841/2</p> <p>Holes - 8 Nos x 10mm Cross - 46.05 x 68.7 Inn. (CR-010) Plate - Round - 130mm (5") Height - 157mm, PCD - 112mm</p> <p>Tata 1312</p>	<p>881/1</p> <p>Holes - 4 Nos x 1/2"mm Cross - 39.68 x 115.4 (CR-002) Plate - Round - 145mm (6") Height - 132mm, PCD - 120mm</p> <p>Leyland 370</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------


Easy Serach Table For : Full Yoke & Reverse Yoke Set

Cross Used	16 Teeth			20 Teeth			24 Teeth			28 Teeth			30 Teeth		
	Cn-No.	L	Pipe Ø	Cn-No.	L	Pipe Ø	Cn-No.	L	Pipe Ø	Cn-No.	L	Pipe Ø	Cn-No.	L	Pipe Ø
Tata 407 (Cn-005)	764	7"													
Canter (Cn-016)	758/1	7½"													
	758A/1	9"													
Tata 1210 (Cn-001)															
Tata 1312 (Cn-010)	844	10½"					1044	10½"							
	996/2	12"													
Tusker (Cn-004)	898	8"								981/1	12½"		981/3	14"	
	981	12½"													
	981/2	14"													
	1082/1	14"													
	1204	9½"													
	1204/1	10½"													
L/L-370 (Cn-002)	884	8"													
Taurus L/T (Cn-019)	913	9½"													
	981/4	10½"													
Taurus P/T (Cn-020)	923	9½"													
L/L Spicer (Cn-022)	974/1	12"													
	974/3	10"													
	1083/1	14"											974	12"	
	1113/1	12"											974/2	10"	
4018 P/T (Cn-030)	1054	11"													
	1094	13"													




Centre Bearing Yoke & Teeth Set (With Bearing Seat)

Tata 1210 (Cn-001)	Yoke												813	8"														
	Teeth												Brg Ø 50	10"	Ø 2¼"													
D.Jeep (Cn-007)	Yoke	814	6½"																									
	Teeth	Brg Ø 35	8"	Ø 2½"																								
Canter (Cn-016)	Yoke	815	7½"																									
	Teeth	Brg Ø 40	9½"	Ø 3"																								
	Yoke	820	6½"																									
	Teeth	Brg Ø 35	10"	Ø 3"																								
35 x 106 (Cn-024/1)	Yoke	811	7"				816/4	9"																				
	Teeth	Brg Ø 40	9½"	Ø 3"				8½"	Ø 3½"																			
	Yoke	816	7"				816/5	9"																				
	Teeth	Brg Ø 40	10½"	Ø 3½"																								
Chevrolet (Cn-017)	Yoke	817	6½"																									
	Teeth	Brg Ø 35	8"	Ø 3"																								
	Yoke	819	6½"																									
	Teeth	Brg Ø 35	9"	Ø 2½"																								
Tata 407 (Cn-005)	Yoke	818	7"																									
	Teeth	Brg Ø 35	9"	Ø 2½"																								
Tusker (Cn-004)	Yoke	812	8"																									
	Teeth	Brg Ø 40	9½"	Ø 3"																								
													<table border="1"> <tr> <th>Bearing Dia</th> <th>Bearing No.</th> </tr> <tr> <td>Ø 35</td> <td>6207</td> </tr> <tr> <td>Ø 40</td> <td>6208 - 88508</td> </tr> <tr> <td>Ø 45</td> <td>6209 - 88509</td> </tr> <tr> <td>Ø 50</td> <td>6210</td> </tr> <tr> <td>Ø 55</td> <td>6211</td> </tr> <tr> <td>Ø 60</td> <td>6212</td> </tr> </table>		Bearing Dia	Bearing No.	Ø 35	6207	Ø 40	6208 - 88508	Ø 45	6209 - 88509	Ø 50	6210	Ø 55	6211	Ø 60	6212
Bearing Dia	Bearing No.																											
Ø 35	6207																											
Ø 40	6208 - 88508																											
Ø 45	6209 - 88509																											
Ø 50	6210																											
Ø 55	6211																											
Ø 60	6212																											
													<table border="1"> <tr> <th colspan="3">No. of Teeth-27</th> </tr> <tr> <td>874</td> <td>10"</td> <td></td> </tr> <tr> <td>Brg Ø 45</td> <td>11"</td> <td>Ø 3½"</td> </tr> </table>			No. of Teeth-27			874	10"		Brg Ø 45	11"	Ø 3½"				
No. of Teeth-27																												
874	10"																											
Brg Ø 45	11"	Ø 3½"																										



Reverse Yoke & Bottle

L/L-370 (Cn-002)	926	13"x5"	Ø 3"												
	929	13"x6"	Ø 3½"												
Tusker (Cn-004)	926/1	13"x5"	Ø 3"												
42 x 120 (Cn-029)				1024	13"x7"	Ø 3½"									
				1024/1	13"x7"	Ø 4"									
				1024/2	16"x10"	Ø 4"									
42 x 129 (Cn-033)				1034	13"x7"	Ø 3½"									
				1034/1	13"x7"	Ø 4"									
				1034/2	14"x9"	Ø 4"									
				1034/3	16"x10"	Ø 4"									
4018L/T 48 x 135 (Cn-034)	1064/4	15"x10"	Ø 4"										1064	13½"x8"	Ø 4"
	1064/5	16"x11"	Ø 4"										1064/1	14½"x10"	Ø 4"
													1064/2	16"x11"	Ø 4"
													1064/6	16"x9"	Ø 4¾"
L/L TC (Cn-022)	1124	13"x7"	Ø 4"	1080	15"x9"	Ø 4"									
	1133/1	15"x10"	Ø 4"												
Tata 1312 (Cn-010)	1135	15"x12"		1049	13"x7"	Ø 4"									
47.7 x 135 (Cn-019/1)	1310	15"x9"	Ø 4"				1308(34T)	15"x10"	Ø 4"	1308/2(34T)	12"x9"	Ø 4"			
	1310/1	14"x9"	Ø 4"				1308/1(34T)	14"x9"	Ø 4"	1309(34T)	13½"x9½"	Ø 4¾"			
52 x 133 (Cn-039)							1244(24T)	16"x9"	Ø 4"	1244/1(34T)	15"x9"	Ø 4"			
52 x 147 (Cn-038)				1254/2(36T)	15"x8"	Ø 4¾"	1254/3(38T)	15"x8"	Ø 4¾"				1254/4	13"x8"	Ø 4"
													1254/5	15"x9"	Ø 4"
													1254/6	16"x10"	Ø 4"



22.00 x 55.00 ← Cross Size → 23.82 x 34.90 ← Cross Size → 23.82 x 61.30

<p>838</p>  <p>Teeth - 22 Nos Length - 146mm (5¾")</p> <p>Tata Magic</p>		<p>833</p>  <p>Teeth - 22 Nos Length - 165mm (6½")</p> <p>Tata ACE O/M</p>		<p>943</p>  <p>Teeth - 16 Nos Length - 127mm (5")</p> <p>Ambassador</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Cross Size - 27.00 x 81.80 (Mahindra Jeep)

<p>793</p>  <p>Teeth - 16 Nos Length - 178mm (7")</p> <p>Mahindra Jeep</p>	<p>783</p>  <p>Teeth - 16 Nos Length - 197mm (7¾")</p> <p>Tata Sumo Spicer</p>	<p>828</p>  <p>Teeth - 21 Nos Length - 165mm (6½")</p> <p>Tata ACE Super</p>	<p>933</p>  <p>Teeth - 22 Nos Length - 178mm (7")</p> <p>Mahindra Maximo</p>	<p>963</p>  <p>Teeth - 25 Nos Length - 178mm (7")</p> <p>Leyland Dost</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

30.04 x 81.80 (Tata 407) ← Cross Size → 30.16 x 106.30 (Canter)

<p>764</p>  <p>Teeth - 16 Nos Length - 178mm (7")</p> <p>Tata 407</p>	<p>774</p>  <p>Teeth - 16 Nos Length - 241mm (9½")</p> <p>Tata Sumo</p>		<p>758/1</p>  <p>Teeth - 16 Nos Length - 190mm (7½")</p> <p>Eicher Canter N/M</p>	
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

Cross Size - 34.94 x 126.00 (Leyland Tusker)

<p>863, 898</p>  <p>Teeth - 16 Nos Length - 203mm (8")</p> <p>Leyland Tusker</p>	<p>1204</p>  <p>Teeth - 16 Nos Length - 241mm (9½")</p> <p>Leyland Hino Truck</p>	<p>1204/1</p>  <p>Teeth - 16 Nos Length - 267mm (10½")</p> <p>Leyland Hino Bus</p>	<p>981</p>  <p>Teeth - 16 Nos Length - 317mm (12½")</p> <p>Tata, L/L Interaxle</p>	<p>1082/1</p>  <p>Teeth - 16 Nos Length - 343mm (13½")</p> <p>Tata, L/L Interaxle</p>
<p>981/2</p>  <p>Teeth - 16 Nos Length - 356mm (14")</p> <p>Tata, L/L Interaxle</p>	<p>874/1</p>  <p>Teeth - 27 Nos Length - 254mm (10")</p> <p>Tata 1109 Ex2</p>	<p>981/1, 1744</p>  <p>Teeth - 28 Nos Length - 317mm (12½")</p> <p>Tata, L/L Eicher Interaxle</p>	<p>981/3</p>  <p>Teeth - 30 Nos Length - 356mm (14")</p> <p>Tata, L/L Interaxle</p>	

38.04 x 56.7 (Inner) ← Cross Size → 39.68 x 115.40 ← Cross Size → 41.28 x 126.00 (Spl. 90)

<p>804</p>  <p>Teeth - 10 Nos Length - 203mm (8")</p> <p>Tata 1210</p>		<p>884</p>  <p>Teeth - 16 Nos Length - 203mm (8")</p> <p>Leyland 370</p>		<p>1113/1, 1122, 1734</p>  <p>Teeth - 16 Nos Length - 305mm (12")</p> <p>Tata, AMW Interaxle</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Cross Size - 41.28 x 126.00 (Leyland TC Spl. -90)

<p>974/3, 996/3</p>  <p>Teeth - 16 Nos Length - 254mm (10") Tata, L/L 2214 (Small)</p>	<p>974/2, 996/4</p>  <p>Teeth - 30 Nos Length - 254mm (10") Tata, L/L 2214 (Small)</p>	<p>974, 996</p>  <p>Teeth - 30 Nos Length - 305mm (12") Tata, L/L 2214</p>	<p>974/1, 996/1, 1754</p>  <p>Teeth - 16 Nos Length - 305mm (12") Tata, L/L 2214</p>	<p>1083/1</p>  <p>Teeth - 16 Nos Length - 356mm (14") Leyland 2515, 2518</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Cross Size - 46.05 x 68.70 (Tata 1312)

<p>844</p>  <p>Teeth - 16 Nos Length - 267mm (10½") Tata 1312 / 1612</p>	<p>996/2</p>  <p>Teeth - 16 Nos Length - 305mm (12") Tata 2515, 2516</p>	<p>844/1, 1044</p>  <p>Teeth - 24 Nos Length - 267mm (10½") Tata 3015, 1613 Tipper</p>		
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--

Cross Size - 47.62 x 134.90 (Taurus LT / PT)

<p>913</p>  <p>Teeth - 16 Nos Length - 241mm (9½") Leyland Taurus (Lock Type)</p>	<p>923</p>  <p>Teeth - 16 Nos Length - 241mm (9½") Leyland Taurus (Plate Type)</p>	<p>981/4</p>  <p>Teeth - 16 Nos Length - 267mm (10½") Leyland Taurus Long</p>		
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--

Cross Size - 49.20 X 154.90 (Tata 4018 Patti Type)

<p>1054, 1103, 1214</p>  <p>Teeth - 16 Nos Length - 279mm (11") Tata, Leyland 4018</p>	<p>1094</p>  <p>Teeth - 16 Nos Length - 330mm (13") Tata, Leyland 4018</p>			
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	--

Sleeve / Bottle

<p>1025 / 1035</p>  <p>No. of Teeth - 20T Bottle Length - 175mm (7") Turning Dia - 84mm Pipe Dia - 89mm (3½") 2518 - (3½")</p>	<p>1025/1 / 1035/1</p>  <p>No. of Teeth - 20T Bottle Length - 175mm (7") Turning Dia - 95mm Pipe Dia - 101mm (4") 2518 - (4")</p>	<p>1035/2</p>  <p>No. of Teeth - 20T Bottle Length - 232mm (9") Turning Dia - 95mm Pipe Dia - 101mm (4") 2518 Long - (4")</p>	<p>1035/3</p>  <p>No. of Teeth - 20T Bottle Length - 260mm (10½") Turning Dia - 95mm Pipe Dia - 101mm (4") 2518 Extra Long - (4")</p>	
<p>1065</p>  <p>No. of Teeth - 30T Bottle Length - 203mm (8") Turning Dia - 95mm (4") Pipe Dia - 101mm (4") 4018 RSB</p>	<p>1065/1</p>  <p>No. of Teeth - 30T Bottle Length - 228mm (9") Turning Dia - 95mm (4") Pipe Dia - 101mm (4") 4018 RSB Long</p>	<p>1065/2</p>  <p>No. of Teeth - 30T Bottle Length - 254mm (10") Turning Dia - 95mm (4") Pipe Dia - 101mm (4") 4018 Extra Long</p>	<p>1065/4</p>  <p>No. of Teeth - 16T Bottle Length - 254mm (10") Turning Dia - 95mm (4") Pipe Dia - 101mm (4") 4018 RSB Long</p>	<p>1065/5</p>  <p>No. of Teeth - 16T Bottle Length - 229mm (9") Turning Dia - 95mm (4") Pipe Dia - 101mm (4") 4018 RSB</p>

34.94 x 126.20 (Tusker)

← Cross Size →

39.68 x 115.40 (Leyland 370)

926/1

No. of Teeth - 16
Yoke Length - 406mm (16")
Bottle Length - 126mm (5")
Turning Dia - 71mm
Pipe Dia - 76mm

Leyland Taurus - 3"



926

No. of Teeth - 16
Yoke Length - 440mm (17")
Bottle Length - 126mm (5")
Turning Dia - 71mm
Pipe Dia - 76mm

Leyland Taurus - 3"

929

No. of Teeth - 16
Yoke Length - 440mm (17")
Bottle Length - 150mm (6")
Turning Dia - 84mm
Pipe Dia - 89mm (3 1/2")

Leyland Taurus - 3 1/2"

Cross Size - 41.28 x 126.00 (Leyland Spicer Spl. 90)

1124

No. of Teeth - 16T
Yoke Length - 325mm (13")
Bottle Length - 175mm (7")
Turning Dia - 94mm
Pipe Dia - 101 (4")

AMW 2515 Interaxle

1080, 1124/1

No. of Teeth - 20 T
Yoke Length - 360mm (14.5")
Bottle Length - 203mm (8")
Turning Dia - 94mm
Pipe Dia - 101 (4")

Leyland 3116, AMW

1124/2


No. of Teeth - 16T
Yoke Length - 338mm (14")
Bottle Length - 196mm (8")
Turning Dia - 95mm
Pipe Dia - 101m (4")

2518 MSL Shaft

1133/1

No. of Teeth - 16T
Yoke Length - 375mm (15")
Bottle Length - 250mm (10")
Turning Dia - 94mm
Pipe Dia - 101mm (4")

AMW 2515 Interaxle RSB



Cross Size - 42.02 x 119.60 (Tata 2518 cEx)

1024

No. of Teeth - 20T
Yoke Length - 315mm (13")
Bottle Length - 175mm (7")
Turning Dia - 84mm
Pipe Dia - 89mm (3 1/2")

Tata 2518 Ex

1024/1

No. of Teeth - 20T
Yoke Length - 315mm (13")
Bottle Length - 175mm (7")
Turning Dia - 94mm
Pipe Dia - 101mm (4")



Tata 2518 Ex

325 Series

1024/2

No. of Teeth - 20 T
Yoke Length - 400mm - (16")
Bottle Length - 240mm - (10")
Turning Dia - 95mm
Pipe Dia - 101mm (4")

Tata 2518 Long



Cross Size - 42.02 x 129.35 (Tata 2518 cEx) (RSB Shaft)

1034

No. of Teeth - 20T
Yoke Length - 335mm (13")
Bottle Length - 175mm (7")
Turning Dia - 84mm
Pipe Dia - 89mm (3 1/2")

Tata, L/L 2515 RSB

1034/1, 1073, 1133

No. of Teeth - 20T
Yoke Length - 335mm (13")
Bottle Length - 175mm (7")
Turning Dia - 94mm
Pipe Dia - 101mm (4")

Tata, L/L 2515 RSB

403 Series

1034/2

No. of Teeth - 20T
Yoke Length - 370mm (14.5")
Bottle Length - 232mm (9")
Turning Dia - 94mm
Pipe Dia - 101mm (4")

Tata, L/L 2515 RSB (LONG)

403 Series

1034/3

No. of Teeth - 20T
Yoke Length - 400mm (16")
Bottle Length - 260mm (10.5")
Turning Dia - 94mm
Pipe Dia - 101mm (4")

Tata, L/L 2515 RSB (EXTRA LONG)

403 Series

1133/2

No. of Teeth - 16T
Yoke Length - 338mm (14")
Bottle Length - 196mm (8")
Turning Dia - 95mm
Pipe Dia - 101mm (4")

2518 MSL Shaft

Cross Size - 47.68 x 135 (2040 Series)

1308/2

No. of Teeth - 34T
Yoke Length - 304mm (12")
Bottle Length - 228mm (9")
Turning Dia - 91 / 95mm
Pipe Dia - 101mm (4")

Bharat Benz

2040 Series

1309

No. of Teeth - 34T
Yoke Length - 342mm (13 1/2")
Bottle Length - 241mm (9 1/2")
Turning Dia - 112mm
Pipe Dia - 120mm (4 3/4")

Bharat Benz

2040 Series

1310

No. of Teeth - 16T
Yoke Length - 381mm (15")
Bottle Length - 228mm (9")
Turning Dia - 91 / 95mm
Pipe Dia - 101mm (4")

Bharat Benz Long


2040 Series

1310/1

No. of Teeth - 16T
Yoke Length - 355mm (14")
Bottle Length - 228mm (9")
Turning Dia - 91 / 95mm
Pipe Dia - 101mm (4")

Bharat Benz

2040 Series



1063 / 1308

No. of Teeth - 34T
Yoke Length - 390mm (15")
Bottle Length - 250mm (10")
Turning Dia - 94mm
Pipe Dia - 101mm (4")


Tata, L/L 4921 Bharat Benz

2040 Series

1063/1 / 1308/1

No. of Teeth - 34T
Yoke Length - 345mm (14")
Bottle Length - 230mm (9")
Turning Dia - 95 / 91.4 mm
Pipe Dia - 101mm (4")

Tata, L/L Bharat Benz 4928



1063/1 BY

No. of Teeth - 34T
HY & Bottle Assy.
Total Length - 13.5"

Tata, L/L Prima Bharat Benz

1081

No. of Teeth - 16T
Teeth Length - 304mm (12")
Bottle Length - 272mm (11")
Turning Dia - 94mm
Pipe Dia - 101mm (4")

Tata, L/L 2515 Interaxle

Cross Size - 46.05 x 68.70 (Inner Tata 1312) Cross Size - 48.00 x 152.5

<p>1049</p> <p>No. of Teeth - 20T Yoke Length - 315mm (13") Bottle Length - 175mm (7") Turning Dia - 94mm Pipe Dia - 101mm (4")</p> <p>Tata 1616</p>	<p>1135</p> <p>No. of Teeth - 16T Yoke Length - 375mm (15") Bottle Length - 304mm (12") Turning Dia - x Pipe Dia - x</p> <p>AMW 2515 RSB Interaxle</p>		<p>1287</p> <p>No. of Teeth - 30T Yoke Length - 355mm (14") Bottle Length - 228mm (9") Turning Dia - 95mm Pipe Dia - 101mm (4")</p> <p>RSB 585 Series</p>	
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

Cross Size - 48.00 x 135.00 (Tata 4018 RSB Shaft - 490 Series)

<p>1064/4</p> <p>No. of Teeth - 16T Yoke Length - 338mm (14") Bottle Length - 196mm (8") Turning Dia - 94mm Pipe Dia - 101mm (4")</p> <p>Tata, L/L 4018 RSB - 16T</p>	<p>1064/5</p> <p>No. of Teeth - 16T Yoke Length - 400mm (16") Bottle Length - 270mm (11") Turning Dia - 94mm Pipe Dia - 101mm (4")</p> <p>Tata, L/L 4018 RSB - 16T(Long)</p>	<p>1064</p> <p>No. of Teeth - 30T Yoke Length - 325mm (13") Bottle Length - 201mm (8") Turning Dia - 94mm Pipe Dia - 101mm (4")</p> <p>Tata, L/L 4018 RSB</p>	<p>1064/1</p> <p>No. of Teeth - 30T Yoke Length - 370mm (15") Bottle Length - 250mm (10") Turning Dia - 94mm Pipe Dia - 101mm (4")</p> <p>Tata, L/L 4018 RSB(Long)</p>	<p>1064/2</p> <p>No. of Teeth - 30T Yoke Length - 385mm (15.5") Bottle Length - 265mm (11") Turning Dia - 94mm Pipe Dia - 101mm (4")</p> <p>Tata, L/L 4018 RSB (Extra Long)</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Cross Size - 52.00 x 133.00

<p>1244</p> <p>No. of Teeth - 24T Yoke Length - 390mm (16") Bottle Length - 225mm (9") Turning Dia - 94mm Pipe Dia - 101mm (4")</p> <p>Tata, Hywa, AMW</p>	<p>1244/1</p> <p>No. of Teeth - 34T Yoke Length - 340mm (14") Bottle Length - 225mm (9") Turning Dia - 94mm Pipe Dia - 101mm (4")</p> <p>Tata, Hywa, AMW</p>			
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	--

Cross Size - 52.00 x 147.00 (Tata 4928 Prima - 590 Series / 2045 Series)

<p>1254</p> <p>No. of Teeth - 38T Yoke Length - 375mm (15") Bottle Length - 200mm (8") Turning Dia - 111mm Pipe Dia - 122mm</p> <p>Tata Prima-Long (Spicer)</p>	<p>1254/1</p> <p>No. of Teeth - 38T Yoke Length - 300mm (12") Bottle Length - 200mm (8") Turning Dia - 111mm Pipe Dia - 122mm</p> <p>Tata Prima (Spicer)</p>	<p>1254/2</p> <p>No. of Teeth - 36T Yoke Length - 400mm (16") Bottle Length - 225mm (9") Turning Dia - 110 mm Pipe Dia - 122mm</p> <p>Tata Prima-Long (RSB)</p>	<p>1254/3</p> <p>No. of Teeth - 36T Yoke Length - 375mm (15") Bottle Length - 200mm (8") Turning Dia - 110mm Pipe Dia - 122mm</p> <p>Tata Prima (RSB)</p>	<p>1254/4</p> <p>No. of Teeth - 30T Teeth Length - 330mm (13") Bottle Length - 203mm (8") Turning Dia - 95mm Pipe Dia - 101mm (4")</p> <p>RSB 590 Series</p>
<p>1254/5</p> <p>No. of Teeth - 30T Yoke Length - 381mm (15") Bottle Length - 228mm (9") Turning Dia - 95mm Pipe Dia - 101mm (4")</p> <p>Tata 4928 Prima Long</p>	<p>1254/6</p> <p>No. of Teeth - 30T Yoke Length - 406mm (16") Bottle Length - 228mm (9") Turning Dia - 95mm Pipe Dia - 101mm (4")</p> <p>Tata 4928 Prima Extra Long</p>	<p>1255 BY</p> <p>No. of Teeth - 30T HY & Bottle Assy. Total Length - 13.5"</p> <p>Tata, L/L Prima Bharat Benz</p>		

Cross Size - 57.00 x 152.00 (Tata 4923 Hywa, AMW - 620 Series / 2055 Series)

<p>1264</p> <p>No. of Teeth - 36T Yoke Length - 375mm (15") Bottle Length - 200mm (8") Turning Dia - 110mm Pipe Dia - 122mm</p> <p>Tata 4923, AMW</p>	<p>1264/1</p> <p>No. of Teeth - 38T Yoke Length - 475mm (13") Bottle Length - 200mm (8") Turning Dia - 110mm Pipe Dia - 122mm</p> <p>Tata 4923 (Spicer)</p>			
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	--

Cross Size - 27.00 x 81.80 (Mahindra Jeep)

<p>797</p> <p>No. of Teeth - 16 Yoke Length - 177mm (7") Teeth Length - 152mm (6") Turning Dia - 60mm Pipe Dia - 66mm (2 3/4")</p> <p>Mahindra Jeep-6"</p>	<p>798</p> <p>No. of Teeth - 16T Yoke Length - 177mm (7") Teeth Length - 152mm (6") Turning Dia - 60mm Pipe Dia - 66mm (2 3/4")</p> <p>Mahindra Jeep-7"</p>	<p>799/3</p> <p>No. of Teeth - 16 Yoke Length - 171mm (6 3/4") Teeth Length - 152mm (6") Turning Dia - 66mm Pipe Dia - 72mm (2 3/4")</p> <p>Scorpio Rear</p>	<p>788/2, 799/6</p> <p>No. of Teeth - 16 Yoke Length - 165mm (6 1/2") Teeth Length - 203mm (8") Turning Dia - 60mm Pipe Dia - 66mm (2 3/4") Bearing Dia - 35mm (No.-6207)</p> <p>Scorpio Turbo</p>	<p>770, 788/1, 814</p> <p>No. of Teeth - 16 Yoke Length - 165mm (6 1/2") Teeth Length - 203mm (8") Turning Dia - 60mm Pipe Dia - 66mm (2 3/4") Bearing Dia - 35mm (No.-6207)</p> <p>Tata 207 DI, 407 Turbo</p>
<p>799</p> <p>No. of Teeth - 16 Yoke Length - 177mm (7") Teeth Length - 158mm (6 1/4") Turning Dia - 71mm Pipe Dia - 76mm (3")</p> <p>Bolero-MaXx Pickup</p>	<p>799/1</p> <p>No. of Teeth - 16 Yoke Length - 165mm (6 1/2") Teeth Length - 152mm (6") Turning Dia - 66mm Pipe Dia - 72mm (2 3/4")</p> <p>Bolero-Maxi Truck</p>	<p>799/2</p> <p>No. of Teeth - 16 Yoke Length - 177mm (7") Teeth Length - 152mm (6") Turning Dia - 60mm Pipe Dia - 66mm (2 3/4")</p> <p>Bolero Utility</p>	<p>799/4</p> <p>No. of Teeth - 16 Yoke Length - 165mm (6.5") Teeth Length - 152mm (6") Turning Dia - 47.5mm Pipe Dia - 53mm</p> <p>Jeep Willys, Bolero (Front) (4 x 4)</p>	<p>799/5</p> <p>No. of Teeth - 16 Yoke Length - 155mm (6") Teeth Length - 205mm (8") Turning Dia - 60mm Pipe Dia - 66mm (2 3/4") Brg Dia - 35mm (No.-6207)</p> <p>Bolero Maxx Turbo</p>

- 27.00 x 81.80 ← Cross Size → 23.82 x 61.30 ← Cross Size → 30.16 x 92.10 (Chevrolet)

<p>857</p> <p>No. of Teeth - 16 Yoke Length - 203mm (8") Teeth Length - 228mm (9") Turning Dia - 59.5mm Pipe Dia - 66mm (2 3/4") Brg Dia - 35mm (No.-6207)</p> <p>Tata Yodha</p>	<p>788</p> <p>No. of Teeth - 16 Yoke Length - 196mm (8") Teeth Length - 177mm (7") Turning Dia - 59mm Pipe Dia - 66mm (2 3/4")</p> <p>Tata Sumo-Spicer</p>	<p>947</p> <p>No. of Teeth - 16 Yoke Length - 127mm (5") Teeth Length - 127mm (5") Turning Dia - 60mm Pipe Dia - 66mm (2 3/4")</p> <p>Ambassdor</p>	<p>817</p> <p>No. of Teeth - 16 Yoke Length - 171mm (6 3/4") Teeth Length - 203mm (8") Turning Dia - 71mm Pipe Dia - 76mm (3") Bearing Dia - 35mm (No.-6207)</p> <p>Tata 407, 410 MSL</p>	<p>819</p> <p>No. of Teeth - 16 Yoke Length - 171mm (6 3/4") Teeth Length - 228mm (9") Turning Dia - 54mm Pipe Dia - 60mm (2 3/4") Bearing Dia - 35mm (No.-6207)</p> <p>Tata 407 Turbo</p>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Cross Size 30.04 x 81.80 (Tata 407)

<p>764/1</p> <p>No. of Teeth - 16 Yoke Length - 177mm (7") Teeth Length - 161mm (6 3/8") Turning Dia - 54mm Pipe Dia - 60mm (2 3/4")</p> <p>Tata 407</p>	<p>818</p> <p>No. of Teeth - 16 Yoke Length - 177mm (7") Teeth Length - 228mm (9") Turning Dia - 54mm Pipe Dia - 60mm (2 3/4") Bearing Dia - 35mm (No.-6207)</p> <p>Tata 407 Turbo</p>	<p>777</p> <p>No. of Teeth - 16 Yoke Length - 241mm (9 1/2") Teeth Length - 208mm (8 1/4") Turning Dia - 54mm Pipe Dia - 60mm (2 3/4")</p> <p>Tata Sumo</p>		
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--

Cross Size 35 x 106.00 (JCB 3 Dx)

<p>811</p> <p>No. of Teeth - 16 Yoke Length - 177mm (7") Teeth Length - 241mm (9 1/2") Turning Dia - 71mm Pipe Dia - 76mm (3") Bearing Dia - 40mm (No.-6208)</p> <p>Tata 710 Marcopolo</p>	<p>816 / 1765/1</p> <p>No. of Teeth - 16 Yoke Length - 177mm (7") Teeth Length - 190mm (7 1/2") Turning Dia - 84mm Pipe Dia - 89mm (3 1/2")</p> <p>Tata 407(Star Bus)</p>	<p>816/4 / 1765</p> <p>No. of Teeth - 24 Yoke Length - 228mm (9") Teeth Length - 203mm (8 1/2") Turning Dia - 84 mm Pipe Dia - 89mm (3 1/2")</p> <p>Tata Ultra</p>	<p>816/5 / 1765/3</p> <p>No. of Teeth - 24 Yoke Length - 228mm (9") Teeth Length - 273mm (10 3/4") Turning Dia - 84 mm Pipe Dia - 89mm (3 1/2") Brg Dia - 40mm (No-88508)</p> <p>Tata Ultra</p>	<p>Tn-1765/2</p> <p>No. of Teeth - 16T Yoke Length - 177mm (7") Teeth Length - 191mm (6 3/4") Turning Dia - 71mm Pipe Dia - 76mm (3")</p> <p>Eicher Pro 10.95</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Cross Size 30.16 x 106.30 (Eicher Canter)

<p>815</p> <p>No. of Teeth - 16 Yoke Length - 190mm (7 1/2") Teeth Length - 241mm (9 1/2") Turning Dia - 71mm Pipe Dia - 76mm (3") Bearing Dia - 40mm (No.-6208)</p> <p>Tata 709 Turbo</p>	<p>820</p> <p>No. of Teeth - 16 Yoke Length - 171mm (6 3/4") Teeth Length - 254mm (10") Turning Dia - 71mm Pipe Dia - 76mm (3") Bearing Dia - 35mm (No.-6207)</p> <p>Tata 407 City Ride</p>	<p>758, 954</p> <p>No. of Teeth - 16 Yoke Length - 190mm (7 1/2") Teeth Length - 171mm (6 3/4") Turning Dia - 71mm Pipe Dia - 76mm (3")</p> <p>Canter N/M</p>	<p>758A, 954/1</p> <p>No. of Teeth - 16 Yoke Length - 241mm (9 1/2") Teeth Length - 210mm (8 1/2") Turning Dia - 71mm Pipe Dia - 76mm (3")</p> <p>Swaraj Mazda 4 x4</p>	
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

Cross Size - 34.94 x 126.20 (Tusker)

<p>868</p>  <p>No. of Teeth - 16 Yoke Length - 203mm (8") Teeth Length - 203mm (8") Turning Dia - 84mm Pipe Dia - 89mm (3½")</p> <p>Leyland Tusker</p>	<p>812</p>  <p>No. of Teeth - 16 Yoke Length - 203mm (8") Teeth Length - 241mm (9½") Turning Dia - 71mm Pipe Dia - 76mm (3") Bearing Dia - 40mm (No.-6208)</p> <p>Tata 712 Marcopolo</p>	<p>874</p>  <p>No. of Teeth - 27 Yoke Length - 254mm (10") Teeth Length - 279mm (11") Turning Dia - 84mm Pipe Dia - 89mm (3½") Bearing Dia - 45mm (No.-6209)</p> <p>Tata 1109 Ex2</p>	<p>1082</p>  <p>No. of Teeth - 16 Yoke Length - 342mm (13½") Teeth Length - 298mm (11½") Turning Dia - 94mm Pipe Dia - 101mm (4")</p> <p>Tata, L/L Interaxle</p>	
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

38.04 x 56.70 (Inner) Tata 1210

← Cross Size →

46.05 x 68.70 (Inner) Tata 1312

<p>813</p>  <p>No. of Teeth - 22 Yoke Length - 203mm (8") Teeth Length - 254mm (10") Turning Dia - 64mm Pipe Dia - 50mm (No.-6210)</p> <p>Tata 709 Marcopolo</p>			<p>852</p>  <p>No. of Teeth - 16 Yoke Length - 266mm (10½") Teeth Length - 292mm (11½") Turning Dia - 84mm Pipe Dia - 89mm (3½")</p> <p>Tata 1312</p>	<p>852/1</p>  <p>No. of Teeth - 24 Yoke Length - 266mm (10½") Teeth Length - 292mm (11½") Turning Dia - 84mm Pipe Dia - 89mm (3½")</p> <p>Tata 3015, 1510</p>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Cross Size - 41.28 x 126.00 (Leyland Spicer Spl. 90)

<p>1733</p>  <p>No. of Teeth - 16 Yoke Length - 304mm (12") Teeth Length - 266mm (10½") Turning Dia - 94mm Pipe Dia - 101mm (4")</p> <p>Eicher Jumbo (Heavy Duty)</p>	<p>974/1 TN</p>  <p>No. of Teeth - 16 Yoke Length - 304mm (12") Teeth Length - 273mm (10¾") Turning Dia - 94mm Pipe Dia - 101mm (4")</p> <p>Tata, L/L 2214 - 16T</p>	<p>1083, 1736</p>  <p>No. of Teeth - 16 Yoke Length - 355mm (14") Teeth Length - 298mm (11½") Turning Dia - 94mm Pipe Dia - 101mm (4")</p> <p>Tata, L/L Interaxle</p>	<p>974 TN</p>  <p>No. of Teeth - 30 Yoke Length - 304mm (12") Teeth Length - 273mm (10¾") Turning Dia - 94mm Pipe Dia - 101mm (4")</p> <p>Tata, L/L 2214</p>	<p>1084</p>  <p>No. of Teeth - 16T Yoke Length - 355mm (14") Bottle Length - 330mm (130") Turning Dia - 95mm Pipe Dia - 101mm (4")</p> <p>L/L 2515 MSL Type</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Center Brg. Yoke & Teeth Set - Turbo

<p>770, 788/1, 814</p>  <p>27.00 x 81.80 1310 Series</p> <p>No. of Teeth - 16 Yoke Length - 177mm (7") Teeth Length - 258mm (9") Turning Dia - 60mm Pipe Dia - 66mm (2½") Bearing Dia - 35mm (No.-6207)</p> <p>Tata 207 DI, 407 Turbo</p>	<p>818</p>  <p>30.04 x 81.80</p> <p>No. of Teeth - 16 Yoke Length - 177mm (7") Teeth Length - 228mm (9") Turning Dia - 54mm Pipe Dia - 60mm (2½") Bearing Dia - 35mm (No.-6207)</p> <p>Tata 407 Turbo</p>	<p>817</p>  <p>30.16 x 92.10</p> <p>No. of Teeth - 16 Yoke Length - 171mm (6¾") Teeth Length - 203mm (8") Turning Dia - 71mm Pipe Dia - 76mm (3") Bearing Dia - 35mm (No.-6207)</p> <p>Tata 407, 410 MSL</p>	<p>819</p>  <p>30.16 x 92.10</p> <p>No. of Teeth - 16 Yoke Length - 171mm (6¾") Teeth Length - 228mm (9") Turning Dia - 54mm Pipe Dia - 60mm (2½") Bearing Dia - 35mm (No.-6207)</p> <p>Tata 407 Turbo</p>	<p>815</p>  <p>30.16 x 106.3 1410 Series</p> <p>No. of Teeth - 16 Yoke Length - 190mm (7½") Teeth Length - 241mm (9½") Turning Dia - 71mm Pipe Dia - 76mm (3") Bearing Dia - 40mm (No.-6208)</p> <p>Tata 709 Turbo</p>
<p>820</p>  <p>30.16 x 106.3 1410 Series</p> <p>No. of Teeth - 16 Yoke Length - 171mm (6¾") Teeth Length - 254mm (10") Turning Dia - 71mm Pipe Dia - 76mm (3") Bearing Dia - 35mm (No.-6207)</p> <p>Tata 407 City Ride</p>	<p>811</p>  <p>34.94 x 106.0 1480 Series</p> <p>No. of Teeth - 16 Yoke Length - 177mm (7") Teeth Length - 241mm (9½") Turning Dia - 71mm Pipe Dia - 76mm (3") Bearing Dia - 40mm (No.-6208)</p> <p>Tata 710 Marcopolo</p>	<p>816</p>  <p>34.94 x 106.0 1480 Series</p> <p>No. of Teeth - 16 Yoke Length - 177mm (7") Teeth Length - 190mm (7½") Turning Dia - 84mm Pipe Dia - 89mm (3½")</p> <p>Tata 407(Star Bus)</p>	<p>812</p>  <p>34.94 x 126.2 1550 Series</p> <p>No. of Teeth - 16 Yoke Length - 203mm (8") Teeth Length - 241mm (9½") Turning Dia - 71mm Pipe Dia - 76mm (3") Bearing Dia - 40mm (No.-6208)</p> <p>Tata 712 Marcopolo</p>	<p>813</p>  <p>38.4 x 56.7 Inn.</p> <p>No. of Teeth - 22 Yoke Length - 203mm (8") Teeth Length - 254mm (10") Turning Dia - 64mm Pipe Dia - 50mm (No.-6210)</p> <p>Tata 709 Marcopolo</p>

FLANGE PLATE - 8 Holes x 130 (5") Round Plain Base (PCD - 112 mm)

Cross Used - 46.05 x 69.7 (Inner) Tata 1312



Cn - 1030/2 - Comp. Length - 27"
Cn - 1030/3 - Comp. Length - 31"

FLANGE PLATE - 4 Holes x 140, Square Plain Base (PCD - 120.5mm)

Cross Used - 34.95 x 126.0 (Tusker)



Cn - 1085 - Comp. Length - 29"
Cn - 1085A - Comp. Length - 25"
Cn - 1085B - Comp. Length - 27"
Cn - 1085C - Comp. Length - 31"
Cn - 1085/1 - Comp. Length - 29"
Cn - 1085/1A - Comp. Length - 25"
Cn - 1085/1B - Comp. Length - 27"
Cn - 1085/1C - Comp. Length - 31"

Cross Used - 41.29 x 126.0 (Spl. - 90.)



Cn - 1085X - Comp. Length - 27"
Cn - 1085Y - Comp. Length - 31"
Cn - 1085/1X - Comp. Length - 27"
Cn - 1085/1Y - Comp. Length - 31"

FLANGE PLATE - 4 Holes x 150 (6") Round - Serrated Base (PCD - 130mm)

Cross Used - 42 x 129 (RSB)



Cn - 1030 - Comp. Length - 26"
Cn - 1030A - Comp. Length - 29"
Cn - 1030/1 - Comp. Length - 23"
Cn - 1130 - Comp. Length - 23"

Cross Used - 41.29 x 126.0 (Spl. - 90.)



Cn - 1060/1 - Comp. Length - 25"
Cn - 1060/2 - Comp. Length - 27"
Cn - 1060/3 - Comp. Length - 31"
Cn - 1110 (HD) - Comp. Length - 24"
Cn - 1120 (HD) - Comp. Length - 27"

4 Holes x 180 (7") (PCD - 150mm) - FLANGE PLATE - 4 Holes x 150 (6") (PCD - 130mm)

Cross Used - 48 x 135 (RSB)



Cn - 1060 - Comp. Length - 23"
Cn - 1060A - Comp. Length - 27"
Cn - 1060B - Comp. Length - 31"

Cross Used - 47.70 x 135.0 (2040 Series)



Cn - 1325DB - Comp. Length - 24" (Direct Bore weld)
Cn - 1325/1DB - Comp. Length - 25" (Direct Bore weld)
Cn - 1325/2 - Comp. Length - 26"
Cn - 13253 - Comp. Length - 29"

10 Teeth

<p>765/1</p>  <p>Turning Dia - 54mm Pipe Dia - 60mm (2 3/4") Length - 210mm (8 1/4")</p> <p>Tata 407 N/M</p>	<p>805</p>  <p>Turning Dia - 64mm Pipe Dia - 63mm (2 1/2") Length - 216mm (8 1/2")</p> <p>Tata 1210</p>	<p>823</p>  <p>Turning Dia - 68mm Pipe Dia - 76mm (3") Length - 216mm (8 1/2")</p> <p>Tata SE</p>		
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--

16 Teeth

<p>765</p>  <p>Turning Dia - 54mm Pipe Dia - 60mm (2 3/4") Length - 161mm (6 3/4")</p> <p>Tata 407</p>	<p>775</p>  <p>Turning Dia - 54mm Pipe Dia - 60mm (2 3/4") Length - 210mm (8 1/4")</p> <p>Tata Sumo</p>	<p>794</p>  <p>Turning Dia - 60mm Pipe Dia - 66mm (2 5/8") Length - 152mm (6")</p> <p>Mahindra Jeep</p>	<p>784</p>  <p>Turning Dia - 59mm Pipe Dia - 66mm (2 5/8") Length - 178mm (7")</p> <p>Tata Sumo Spicer</p>	<p>794/1</p>  <p>Turning Dia - 60mm Pipe Dia - 66mm (2 5/8") Length - 178mm (7")</p> <p>Mahindra Jeep</p>
<p>944</p>  <p>Turning Dia - 60mm Pipe Dia - 66mm (2 5/8") Length - 127mm (5")</p> <p>Ambassdor</p>	<p>758/2</p>  <p>Turning Dia - 71mm Pipe Dia - 76mm (3") Length - 171mm (6 3/4")</p> <p>Canter N / M</p>	<p>890</p>  <p>Turning Dia - 71mm Pipe Dia - 76mm (3") Length - 197mm (7 3/4")</p> <p>Leyland - Bedford Turker</p>	<p>917</p>  <p>Turning Dia - 84mm Pipe Dia - 76mm (3") Length - 228mm (9")</p> <p>Leyland Taurus</p>	<p>864, 891</p>  <p>Turning Dia - 84mm Pipe Dia - 89mm (3 1/2") Length - 203mm (8")</p> <p>Leyland - Bedford Turker</p>
<p>845</p>  <p>Turning Dia - 84mm Pipe Dia - 89mm (3 1/2") Length - 292mm (11 1/2")</p> <p>Tata 1312/1510/1612</p>	<p>997/3</p>  <p>Turning Dia - 84mm Pipe Dia - 89mm (3 1/2") Length - 222mm (8 3/4")</p> <p>Tata L/L 2515, 2516 Hywa</p>	<p>997/1</p>  <p>Turning Dia - 84mm Pipe Dia - 89mm (3 1/2") Length - 273mm (10 3/4")</p> <p>Leyland 2214, Tata Hywa</p>	<p>997/2</p>  <p>Turning Dia - 84mm Pipe Dia - 89mm (3 1/2") Length - 342mm (13 1/2")</p> <p>Interaxle Shaft Leyland 2516 TC AC</p>	<p>1205</p>  <p>Turning Dia - 84mm Pipe Dia - 89mm (3 1/2") Length - 228mm (9")</p> <p>Leyland 1613 Hino</p>
<p>1205/1</p>  <p>Turning Dia - 84mm Pipe Dia - 89mm (3 1/2") Length - 254mm (10")</p> <p>Leyland 1613 Hino</p>	<p>1215</p>  <p>Turning Dia - 84mm Pipe Dia - 89mm (3 1/2") Length - 279mm (11")</p> <p>Leyland 1613 Hino</p>	<p>982/4</p>  <p>Turning Dia - 84mm Pipe Dia - 89mm (3 1/2") Length - 292mm (11 1/2")</p> <p>Leyland Taurus Long</p>	<p>982/2</p>  <p>Turning Dia - 84mm Pipe Dia - 89mm (3 1/2") Length - 317mm (12 3/4")</p> <p>Tata, Leyland 2516 TC</p>	<p>975/3</p>  <p>Turning Dia - 94mm Pipe Dia - 101mm (4") Length - 228mm (9")</p> <p>Leyland 2214, Tata Hywa</p>
<p>975/1, 982A, 1755</p>  <p>Turning Dia - 94mm Pipe Dia - 101mm (4") Length - 273mm (10 3/4")</p> <p>Leyland 2214, Tata Hywa</p>	<p>1055, 1104, 1114/1, 1735</p>  <p>Turning Dia - 94mm Pipe Dia - 101mm (4") Length - 266mm (10 1/2")</p> <p>Leyland Tata Hywa 4018</p>	<p>1082/2, 1083/2, 1095</p>  <p>Turning Dia - 94mm Pipe Dia - 101mm (4") Length - 298mm (11 3/4")</p> <p>Leyland 2516, 2518</p>	<p>1095/1</p>  <p>Turning Dia - 95mm Pipe Dia - 101mm (4") Length - 343mm (13 1/2")</p> <p>Tata, L/L 4018 Extra Long</p>	<p>982</p>  <p>Turning Dia - 84mm Pipe Dia - 89mm (3 1/2") Length - 267mm (10 1/2")</p> <p>Tata L/L 2516 TC</p>




error

We will certainly appreciate your intimation about any error in our efforts in tabulating the informations. Kjnldy inform at sales@cenron.org or at our customer care no.: +91-11-28761009 The specifications are for references only.

24 Teeth		27 Teeth		28 Teeth	
<p>845/1, 1045</p>  <p>Turning Dia - 84mm Pipe Dia - 89mm (3½") Length - 292mm (11½")</p> <p>Tata 3015, 1613 Tipper</p>		<p>874/2</p>  <p>Turning Dia - 84mm Pipe Dia - 89mm (3½") Length - 279mm (11") Bearing dia - 45mm (No. 6209)</p> <p>Tata 1109 Ex2</p>		<p>982/1, 1745</p>  <p>Turning Dia - 84mm Pipe Dia - 89mm (3½") Length - 292mm (11½")</p> <p>Interaxle Shaft Leyland 2516 TC AC</p>	
30 Teeth					
<p>997/4</p>  <p>Turning Dia - 84mm Pipe Dia - 89mm (3½") Length - 228mm (9")</p> <p>Tata 2515, 2516 Hywa</p>	<p>997</p>  <p>Turning Dia - 84mm Pipe Dia - 89mm (3½") Length - 273mm (10¾")</p> <p>Tata 2515, 2516 Hywa</p>	<p>982/3</p>  <p>Turning Dia - 84mm Pipe Dia - 89mm (3½") Length - 317mm (12½")</p> <p>Interaxle Shaft Leyland 2516 TC AC</p>	<p>975/2</p>  <p>Turning Dia - 94mm Pipe Dia - 101mm (4") Length - 228mm (9")</p> <p>Tata Hywa, Leyland 2214</p>	<p>975</p>  <p>Turning Dia - 94mm Pipe Dia - 101mm (4") Length - 273mm (10¾")</p> <p>Tata Hywa, Leyland 2214</p>	

Easy Search Table for : Rear Teeth																
No. of Teeth	Pipe Ø 2¾"			Pipe Ø 3"			Pipe Ø 3½"			Pipe Ø 4"			Pipe Ø 4¾"			
	Turn Ø 64"			Turn Ø 69/71"			Turn Ø 84"			Turn Ø 91/95"			Turn Ø 112"			
	Cn-No.	L	Brg	Cn-No.	L	Brg	Cn-No.	L	Brg	Cn-No.	L	Brg	Cn-No.	L	Brg	
10 Teeth	805	8½"		823	8½"											
16 Teeth				758A/2	9½"	40	845	11½"		975/1	10¾"		1095/1	13½"		
				758/2	6¾"		891	7¾"		975/3	9"					
				890	7¾"		917	9"		1055/1	10½"					
							982	10½"		1082/2	11½"					
							982/2	12½"		1083/2	11½"					
							982/4	11½"								
							997/1	10¾"								
							997/2	13½"								
							997/3	8¾"								
							1205	9"								
							1205/1	10"								
							1215	11"								
24 Teeth							1045	11½"								
28 Teeth							982/1	11½"								
30 Teeth							982/3	12½"		975	10¾"					
							997	10¾"		975/2	9"					
							997/4	9"								



Our effort : To provide a user friendly manual.

10 Teeth

<p>759</p>  <p>Turning Dia - 71mm Pipe Dia - 76mm - (3") Length - 140mm - (5.5") Bearing Dia - 40mm - (No. - 6208)</p> <p>Center N/M</p>	<p>888</p>  <p>Turning Dia - 71mm Pipe Dia - 76mm - (3") Length - 200mm - (8") Bearing Dia - 46mm - (MSN - 14)</p> <p>Leyand Tusker</p>	<p>889</p>  <p>Turning Dia - 84mm Pipe Dia - 90mm - (3.5") Length - 216mm - (8.5") Bearing Dia - 46mm - (MSN - 14)</p> <p>Leyand Tusker</p>	<p>862, 1203</p>  <p>Turning Dia - 84mm Pipe Dia - 90mm - (3.5") Length - 140mm - (5.5") Bearing Dia - 45mm - (No. - 6209)</p> <p>Tata 1612, 1613 TC</p>	<p>1093/3</p>  <p>Turning Dia - 95mm Pipe Dia - 101mm - (4") Length - 190mm - (7.5") Bearing Dia - 50mm - (No. - 6210)</p> <p>Tata, L/L 3116, 3118</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

14 Teeth

20 Teeth

(Bolt Type)


<p>803</p>  <p>Turning Dia - 64mm Pipe Dia - 64mm - (2.5") Length - 190mm - (7.5") Bearing Dia - 40mm - (No. - 6208)</p> <p>Tata 1210</p>	<p>822, 843/1</p>  <p>Turning Dia - 67mm Pipe Dia - 76mm - (3") Length - 190mm - (7.5") Bearing Dia - 40mm - (No. - 6208)</p> <p>Tata SE</p>		<p>1093/4</p>  <p>Turning Dia - 95mm Pipe Dia - 101mm - (4") Length - 160mm - (6.5") Bearing Dia - 60mm - (No. - 6212)</p> <p>Tata 2523, 3118</p>	<p>1093/5</p>  <p>Turning Dia - 112mm Pipe Dia - 120mm - (4.75") Length - 150mm - (6") Bearing Dia - 55mm - (No. - 6211) Bolt Size - 12 x 1.75 - 2Nos.</p> <p>Tata 2523, 3118</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

16 Teeth

<p>763</p>  <p>Turning Dia - 54mm Pipe Dia - 60mm - (2.375") Length - 180mm - (7") Bearing Dia - 35mm - (No. - 6207)</p> <p>Tata 407</p>	<p>773</p>  <p>Turning Dia - 54mm Pipe Dia - 60mm - (2.375") Length - 180mm - (7") Bearing Dia - 35mm - (No. - 6207)</p> <p>Tata Sumo</p>	<p>1753/2</p>  <p>Turning Dia - 71mm Pipe Dia - 76mm - (3") Length - 178mm - (7") Bearing Dia - 62mm - (No. - 6011)</p> <p>Eicher Jumbo</p>	<p>916, 1753/1</p>  <p>Turning Dia - 84mm Pipe Dia - 90mm - (3.5") Length - 178mm - (7") Bearing Dia - 62mm - (No. - 6011)</p> <p>L/L Taurus, 1612</p>	<p>1093/1</p>  <p>Turning Dia - 95mm Pipe Dia - 101mm - (4") Length - 197mm - (7.75") Bearing Dia - 60mm - (No. - 6012)</p> <p>Tata, L/L 3116, 3118</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

26 Teeth

18 Teeth

<p>843/2</p>  <p>Turning Dia - 68mm Pipe Dia - 76mm - (3") Length - 203mm - (8") Bearing Dia - 55mm - (No. - 6211)</p> <p>Tata 1312, Tipper</p>	<p>843</p>  <p>Turning Dia - 84mm Pipe Dia - 90mm - (3.5") Length - 203mm - (8") Bearing Dia - 55mm - (No. - 6211)</p> <p>Tata 1312, 1612</p>	<p>1093/16</p>  <p>Turning Dia - 112mm Pipe Dia - 120mm - (4.75") Length - 175mm - (7") Bearing Dia - 55mm - (No. - 6211)</p> <p>Tata, L/L RSB</p>		<p>1043/4</p>  <p>Turning Dia - 95mm Pipe Dia - 101mm - (4") Length - Bearing Dia -</p> <p>Tata 1616</p>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<p>998</p>  <p>Turning Dia - 95mm Pipe Dia - 101mm - (4") Length - 203mm - (8") Bearing Dia - 55mm - (No. - 6211)</p> <p>Tata 2518 / 2516</p>	<p>998/1, 1093/2</p>  <p>Turning Dia - 95mm Pipe Dia - 101mm - (4") Length - 178mm - (7") Bearing Dia - 65mm - (No. - 6013)</p> <p>Tata 2518 / 2516</p>	<p>998/2</p>  <p>Turning Dia - 95mm Pipe Dia - 101mm - (4") Length - 178mm - (7") Bearing Dia - 65mm - (No. - 6213)</p> <p>Tata 2518 / 2516</p>	<p>1023</p>  <p>Turning Dia - 84mm Pipe Dia - 90mm - (3.5") Length - 203mm - (8") Bearing Dia - 55mm - (No. - 6211)</p> <p>Tata 2518 cEx</p>	<p>1023/1</p>  <p>Turning Dia - 95mm Pipe Dia - 101mm - (4") Length - 203mm - (8") Bearing Dia - 55mm - (No. - 6211)</p> <p>Tata 2518 cEx</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<p>1093/7</p>  <p>Turning Dia - 95mm Pipe Dia - 101mm - (4") Length - 150mm - (6") Bearing Dia - 55mm - (No. - 6211) Bolt - 12x1.75mm - 2Nos</p> <p>Tata 3718 (Bolt Type)</p>	<p>1093/8</p>  <p>Turning Dia - 112mm Pipe Dia - 120mm - (4.75") Length - 150mm - (6") Bolt - 12x1.75mm - 2Nos</p> <p>Tata 3718 (Bolt Type)</p>	<p>1093/9</p>  <p>Turning Dia - 112mm Pipe Dia - 120mm - (4.75") Length - 150mm - (6") Bearing Dia - 70mm - (No. - 6014) Bolt - 12x1.75mm</p> <p>Tata 3718 (Bolt Type)</p>	<p>1093/15</p>  <p>Turning Dia - 95mm Pipe Dia - 101mm - (4") Length - 230mm - (9") Bearing Dia - 55mm - (No. - 6211)</p> <p>Tata 3116 RSB</p>	<p>1093/17</p>  <p>Turning Dia - 112mm Pipe Dia - 120mm - (4.75") Length - 190mm - (7.5") Bearing Dia - 55mm - (No. - 6211)</p> <p>Tata, L/L, RSB Long</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

28 Teeth

30 Teeth

<p>1093/13</p>  <p>Turning Dia - 95mm Pipe Dia - 101mm - (4") Length - 150mm - (6") Bearing Dia - 45mm - (No. - 88509)</p> <p>RSB Series 403</p>	<p>1093/18</p>  <p>Turning Dia - 84mm Pipe Dia - 90mm - (3.5") Length - 150mm - (6") Bearing Dia - 45mm - (No. - 88508)</p> <p>RSB 403 Series</p>		<p>1093/10</p>  <p>Turning Dia - 112mm Pipe Dia - 120mm - (4.75") Length - 230mm - (9") Bearing Dia - 85mm - (No. - 6017)</p> <p>RSB Series 620</p>	
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

34 Teeth

<p>953 Turning Dia - 71mm Pipe Dia - 76mm - (3") Length - 127mm - (5") Bearing Dia - 47mm - () Swaraj Mazda</p>	<p>1043 Turning Dia - 84mm Pipe Dia - 90mm - (3.5") Length - 146mm - (5.75") Bearing Dia - 45mm - (No. - 6209) Tata 1616, 3015 Ex</p>	<p>1043/2 Turning Dia - 84mm Pipe Dia - 90mm - (3.5") Length - 165mm - (6.5") Bearing Dia - 55mm - (No. - 6211) Tata 1616, 3015 Ex</p>	<p>973, 1043/3, 1753 Turning Dia - 95mm Pipe Dia - 101mm - (4") Length - 165mm - (6.5") Bearing Dia - 45mm - (No. - 6209) Tata, L/L 2214</p>	<p>1043/1, 1086 Turning Dia - 95mm Pipe Dia - 101mm - (4") Length - 165mm - (6.5") Bearing Dia - 55mm - (No. - 6211) Tata 1616, 3015 Ex</p>
----------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------


39 Teeth

46 Teeth

<p>1753/3 Turning Dia - 91 / 95mm Pipe Dia - 101mm - (4") Length - 165mm - (6½") Bearing Dia - 55mm - (No 6211) Eicher 50.16 L/L 2518</p>		<p>1093/11 Turning Dia - 95mm Pipe Dia - 101mm - (4") Length - 190mm - (7½") Bearing Dia - 55mm - (No 6212) MSL 2040 (6-8 Speed G Box)</p>	<p>1093/12 Turning Dia - 112mm Pipe Dia - 120mm - (4¾") Length - 203mm - (8") Bearing Dia - mm - (No -) MSL 2040 (9 Seed G Box)</p>	
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

Easy Search Table for : Front Teeth with Nut

No. of Teeth	Pipe Ø 2¾"			Pipe Ø 3"			Pipe Ø 3½"			Pipe Ø 4"			Pipe Ø 4¾"		
	Turn Ø 64"			Turn Ø 69/71"			Turn Ø 84"			Turn Ø 91/95"			Turn Ø 112"		
	Cn-No.	L	Brg	Cn-No.	L	Brg	Cn-No.	L	Brg	Cn-No.	L	Brg	Cn-No.	L	Brg
10 Teeth				759	5¾"	40	862	5½"	45	1093/3	7½"	50			
				888	8"	46	889	8½"	46						
14 Teeth	803	7½"	40	822	7½"	40									
16 Teeth				1753/2	7"	62	916	7"	62	1093/1	7¾"	60			
18 Teeth										1043/4					
20 Teeth										1093/4	6¾"	60	1093/5	6"	55
				843/2	8"	55	843	8"	55	998	8"	55	1093/8	6"	55
								8"	55	998/1	7"	65	1093/9	6"	70
26 Teeth										998/2	7"	65	1093/16	7"	55
										1023/1	8"	55	1093/17	7½"	55
										1093/7	6"	55			
										1093/15	7"	55			
28 Teeth							1093/18	6"	45	1093/13	6"	45			
30 Teeth													1093/10	9"	85
34 Teeth				953	5"	47	1043	5¾"	45	973	6¾"	45			
							1043/2	6¾"	55	1043/1	6¾"	55			
39 Teeth										1753/3	6¾"	55			
46 Teeth										1093/11	8"	60	1093/12	8"	50




Suitable Bearing for Seat Dia

Brg. Seat Dia	Bearing No.	Brg. Seat Dia	Bearing No.
35 mm	6207	50 mm	6210
40 mm	6208-88508	55 mm	6211
45 mm	6209-88509	60 mm	600112
46 mm	MSN-14	62 mm	6011
47 mm		65 mm	6013

Through / Lay Shaft (Double Powered Axle)

<p>1191 Teeth - 34 x 32 Length - 15" Seat Ø - 45 Brg. No. - 603049 Tata 2516</p>	<p>1192 Teeth - 39 x 20 Length - 16¼" Seat Ø - 51 Brg. No. - 494910 Tata 2518</p>	<p>1193 Teeth - 26 x 35 Length - 20¼" Seat Ø - 55 Brg. No. - Tata 2518 N/M</p>	<p>1194 Teeth - 39 x 34 Length - 15" Seat Ø - 51 Brg. No. - 494910 Dana Spicer</p>
--------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------

Easy Search Table for : Coupling Flanges																				
Dia	Ø 4¼" or 120 mm				Ø 5" or 130 mm				Ø 6" or 145 mm				Ø 6½" or 165 mm				Ø 7" or 175 mm			
	Tata 1210 Plate				Tata 1312 Plate				L/L 370 Plate				4018 Plate				Taurus Plate			
	Cn-No.	Cross	Ht.	Seal	Cn-No.	Cross	Ht.	Seal	Cn-No.	Cross	Ht.	Seal	Cn-No.	Cross	Ht.	Seal	Cn-No.	Cross	Ht.	Seal
6									893	4H - SQ	97	63					919	8H	108	63
									893/1	4H	97	63								
					865/2	8H	67	56	892	4H - SQ	73	70					918/1	8H	85	70
10					865/1	8H	92	56	894	4H	85	70								
									1206	4H	63	58								
14	806	6H	63	52	846	8H	66	52												
	807	6H	63	52																
	767	6H	55	48	848	8H	69	58	1757/1	4H - SQ	92	62					1757/3	8H	92	70
16	824	6H	64	58	875	8H	58	62	1757/7	4H - SQ	96	71					918	8H	95	62
																	1096/2	8H	100	73
18					994	8H	90	65	1047	8H	66	65	1056	8H	76					
	808	6H	59	68	847	8H	77	68	999/3	8H	80	68	1036	8H	78		1000	8H	94	71
26					849	8H	60	68	1048	8H	65	68								
					999	8H	62	68												
28					1096/20	8H	59	78	988	4H - SQ	83	54					978	8H	60	54
																	978/1	8H	114	54
					991	8H	77	63	985	4H - SQ	78	63					976	8H	61	56
					ONE STEP				1046	8H	74	64					1757/4	8H	84	58
34					991/2	8H	78	65	1046/1	8H	82	66								
					TWO STEP				1046/2	8H	75	54								
					1757	8H	78	55	1087	4H	60	56								
									1757/2	4H - SQ	74	58								
39					992	8H	85	76	987	4H - SQ	87	70	1036/1	8H	90	977	8H	87	76	
									1097	4H - SQ	87	76	1057/2	8H	110	977 A	8H	103	76	
									1207	4H	102	76				977/2	8H	87	71	
									1207/1	4H	86	67								
41					993	8H	91	76	986	4H - SQ	92	76	1058	8H	93	977/1	8H	80	76	
													1058/1	8H	110					
44																1096/6	8H	108	76	
46																1357/1	8H	90	76	
																1096/7	8H	85	84	



Serrated Base Couplings :																				
Dia	Ø 4¼" or 120 mm				Ø 5" or 130 mm				Ø 6" or 145 mm				Ø 6½" or 165 mm				Ø 7" or 175 mm			
	Cn-No.	Cross	Ht.	Seal	Cn-No.	Cross	Ht.	Seal	Cn-No.	Cross	Ht.	Seal	Cn-No.	Cross	Ht.	Seal	Cn-No.	Cross	Ht.	Seal
10	1206/1	4H	60	50																
16									1096/1	4H	84	73					1096/6	4H	95	73
									1757/8	4H										
18									994/1	4H	90	64								
									1037	4H	63	64								
									1046/4	4H										
20									1096/9	4H - DC	71	64					1096/8	4H	79	64
									1096/13	4H - DC	71									
21	1206/2	4H	60	60													1059	4H	63	90
	1206/3	4H	84																	
24									1066/3	4H - DC	60	60								
									1320	4H	89	85								
26	1206/5	4H			1026	4H	80	59	999/1	4H	80	69					1047/2	4H	90	85
									1037/1	4H - DC	64	68					1066/4	4H	104	68
									1037/2	4H - DC	110	68					1096/5	4H	85	90
									1037/4	4H	108	70					1096/10	4H - DC	93	71
									1047/1	4H	90	85					1096/14	4H - DC	90	80
									1096/3	4H - DC	95	71					1096/18	4H	95	85
									1096/4	4H	85	90					1096/19	4H	94	79
									1096/11	4H - DC	85	85					1096/21	4H	93	71
									1096/12	4H - DC	90	80								
									1320/1	4H - DC	100									
28					978/8	4H	90	54	978/2	4H - DC	100	60								
									978/4		75	78								
									978/5		95	78								
	1206/6	4H	91	54					978/7	4H - DC	60	70								
									1096/17	4H - DC	78	56								
30	1206/4	4H	64						976/6	4H	77	70					1096/15	4H - SC	117	BRG
																	1117	4H	78	71
31																	1059/5	4H	82	85
																	1117/1	4H	83	85
32									1757/9	4H	88	68								
									1039	4H	62	56					1079	4H	120	80
									1039/1A	4H - HD	80	64								
34									1039/1	4H	85	64								
									1039/2	4H	80	67								
									1757/5	4H	76	58								
38									1107	4H	75	71								
					1026/1	4H			1038	4H	92	76					1059/1	4H	112	70
									1038/1	4H	90	70					1059/1A	4H	90	71
									1038/2	4H	75	71								
39									1207/2	4H	86	67								
									1207/3	4H	105	76								
									1757/6	4H - DC	82	63								
41					1026/2	4H			1076	4H	92	75					1059/2	4H	110	76
																	1059/8	4H	90	76
44									1077	4H	90	75								
46									1096/16	4H - DC	83	73								

Imp.: Information about technical specification in Easy Search Tables, are given for references only & may vary a little from lot to lot. Though critical dimensions are maintained as required.

6 Teeth

<p>945</p>  <p>Holes - 4, PCD - 70.5mm Plate - Round - 86mm Height - 53mm, Seal Ø - 38.20mm</p> <p>Ambassdor</p>	<p>946</p>  <p>Holes - 4, PCD - 70.5mm Plate - Round - 86mm Height - 53mm, Seal Ø - 38.20mm</p> <p>Ambassdor</p>	<p>893</p>  <p>Holes - 4, PCD - 120.5mm Plate - Square - 107 x 121 Height - 97mm, Seal Ø - 63mm</p> <p>Leyland Tusker</p>	<p>893/1</p>  <p>Holes - 4, PCD - 120.5mm Plate - Round - 145mm (6") Height - 97mm, Seal Ø - 63mm</p> <p>Leyland Tusker</p>	<p>919</p>  <p>Holes - 8, PCD - 155.5mm Plate - Round - 175mm (7") Height - 108mm, Seal Ø - 62.7mm</p> <p>Leyland Taurus</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

10 Teeth

<p>795</p>  <p>Holes - 4, PCD - 69.5mm Plate - Round - (97mm) Height - 57mm, Seal Ø - 39.5mm</p> <p>Mahindra Jeep</p>	<p>795/1</p>  <p>Cross - 27.00x81.80 PT (CR-007) Height - 77mm, Seal Ø - 40mm</p> <p>Mahindra Jeep</p>	<p>760</p>  <p>Holes - 4, PCD - 99.5mm Plate - Square - 104 x 94 Height - 63mm, Seal Ø - 50mm</p> <p>Eicher Canter 10.70</p>	<p>1206</p>  <p>Holes - 4, PCD - 120.5mm Plate - Round - 145mm (6") Height - 63mm, Seal Ø - 58mm</p> <p>Leyland 1613 TC, Eicher</p>	<p> 1206/1</p>  <p>Holes - 4, PCD - 100mm Plate - Round - 120mm (4 1/2") Height - 60mm, Seal Ø - 50mm</p> <p>Tata 909 Ecomet</p>
<p>892</p>  <p>Holes - 4, PCD - 120.5mm Plate - Square - 110 x 120 Height - 73mm, Seal Ø - 70mm</p> <p>Leyland Tusker</p>	<p>894</p>  <p>Holes - 4, PCD - 120.5mm Plate - Round - 145mm (6") Height - 85mm, Seal Ø - 70mm</p> <p>Leyland Tusker</p>	<p>865/2</p>  <p>Holes - 8, PCD - 12mm Plate - Round - 130mm (5") Height - 67mm, Seal Ø - 60mm</p> <p>1612 TC</p>	<p>865/1</p>  <p>Holes - 8, PCD - 12mm Plate - Round - 130mm (5") Height - 92mm, Seal Ø - 60mm</p> <p>1612 TC</p>	<p>865</p>  <p>Cross - 34.94x126.20 PT (CR-004) Height - 100mm, Seal Ø - 56mm</p> <p>1612 TC Spicer Shaft</p>
<p>918/1</p>  <p>Holes - 8, PCD - 155.5mm Plate - Round - 175mm (7") Height - 85mm, Seal Ø - 70mm</p> <p>Leyland Taurus</p>	<p>1218</p>  <p>Holes - 8, PCD - 184mm Plate - Round - 200mm (8") Height - 104mm, Seal Ø - 76.5mm</p> <p>Leyland 680 Hippo</p>	<p>1217</p>  <p>Holes - 8, PCD - 184mm Plate - Round - 200mm (8") Height - 104mm, Seal Ø - 89.2mm</p> <p>Leyland 680 Hippo</p>	<p>1216</p>  <p>Holes - 8, PCD - 184mm Plate - Round - 200mm (8") Height - 118mm, Seal Ø - 65.5mm</p> <p>Leyland 680 Hippo</p>	<p> </p>

14 Teeth

<p>760/2</p>  <p>Holes - 4, PCD - 99.5mm Plate - Square - 104 x 94 Height - 61mm, Seal Ø - 52mm</p> <p>Eicher Canter</p>	<p>760/3</p>  <p>Holes - 4, PCD - 99.5mm Plate - Round - 126mm (5") Height - 72mm, Seal Ø - 56mm</p> <p>Eicher 10.90</p>	<p>806</p>  <p>Holes - 6, PCD - 101.5mm Plate - Round - 120mm (4 3/4") Height - 63mm, Seal Ø - 52mm</p> <p>Tata 1210 C. B.</p>	<p>807</p>  <p>Holes - 6, PCD - 101.5mm Plate - Round - 120mm (4 3/4") Height - 63mm, Seal Ø - 52mm</p> <p>Tata 1210 G. B.</p>	<p>846</p>  <p>Holes - 8, PCD - 112mm Plate - Round - 130mm (5") Height - 66mm, Seal Ø - 52mm</p> <p>Tata 1312/1612 C. B.</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

18 Teeth

<p>760/4</p>  <p>Holes - 4, PCD - 99.5mm Plate - Round - 126mm (5") Height - 72mm, Seal Ø - 56mm</p> <p>Eicher 11.10</p>	<p>760/1</p>  <p>Holes - 4, PCD - 99.5mm Plate - Square - 107 x 95 Height - 103mm, Seal Ø - 48mm</p> <p>Eicher 10.50, 10.70</p>	<p> 1037, 1066</p>  <p>Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 63mm, Seal Ø - 63.5mm</p> <p>Tata 1616</p>	<p>994</p>  <p>Holes - 8, PCD - 112mm Plate - Round - 130mm (5") Height - 90mm, Seal Ø - 65mm</p> <p>Tata 2515 Ex</p>	<p> 994/1</p>  <p>Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 60mm, Seal Ø - 64mm</p> <p>Tata 2516 GB-60</p>
<p> 1046/4</p>  <p>Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - mm, Seal Ø - mm</p> <p>Tata 1616 Centre</p>	<p>1047</p>  <p>Holes - 8, PCD - 120.5mm Plate - Round - 145mm (6") Height - 66mm, Seal Ø - 65mm</p> <p>Tata 2518</p>	<p>1056</p>  <p>Holes - 8, PCD - 133.5mm Plate - Round - 165mm (6 1/2") Height - 76mm, Seal Ø - 65mm</p> <p>Tata 2518, 4018</p>	<p> </p>	<p> </p>

16 Teeth

<p>766, 776</p>  <p>Holes - 6, PCD - 84.5mm Plate - Round - 100mm (4") Height - 56mm, Seal Ø - 48mm</p> <p>Tata 407 O/M</p>	<p>767</p>  <p>Holes - 6, PCD - 101.5mm Plate - Round - 120mm (4 3/4") Height - 63mm, Seal Ø - 48mm</p> <p>Tata 407 N/M</p>	<p>785</p>  <p>Cross - 27.00 x 81.80 PT (CR-006) Height - 84mm, Seal Ø - 48mm</p> <p>Tata 207 DI / Sumo</p>	<p>866</p>  <p>Cross - 34.94x126.20 PT (CR-004) Height - 100mm, Seal Ø - 58mm</p> <p>Tata 1612 Spicer</p>	<p>918</p>  <p>Holes - 8, PCD - 155.5mm Plate - Round - 175mm (7") Height - 95mm, Seal Ø - 62mm</p> <p>Leyland Taurus</p>
<p>824, 876</p>  <p>Holes - 6 x 10mm, PCD - 101.5mm Plate - Round - 120mm (4 3/4") Height - 62mm, Seal Ø - 58mm</p> <p>GB-40 / Tata 709, 909</p>	<p>848</p>  <p>Holes - 8, PCD - 112mm Plate - Round - 130mm (5") Height - 70mm, Seal Ø - 58mm</p> <p>Tata 1312, 1612</p>	<p>875</p>  <p>Holes - 8, PCD - 112mm Plate - Round - 130mm (5") Height - 60mm, Seal Ø - 58mm</p> <p>Tata 1612 Spicer</p>	<p>1096/1</p>  <p>Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 84mm, Seal Ø - 73mm</p> <p>Tata, L/L - 3118, 4923</p>	<p>1096/2</p>  <p>Holes - 8, PCD - 155.5mm Plate - Round - 175mm (7") Height - 100mm, Seal Ø - 73mm</p> <p>Tata, L/L - 3118, 4923</p>
<p>1757/1</p>  <p>Holes - 4 x 13mm, PCD - 120.5mm Plate - Square - 111 x 126 Height - 89mm, Seal Ø - 62mm</p> <p>Eicher Jumbo</p>	<p>1757/3</p>  <p>Holes - 8, PCD - 155.5mm Plate - Round - 175mm (7") Height - 92mm, Seal Ø - 70mm</p> <p>Eicher Jumbo Center</p>	<p>1757/7</p>  <p>Holes - 4, PCD - 120.5mm Plate - Square - 108 x 121 Height - 96, Seal Ø - 71mm</p> <p>Eicher Jumbo Center</p>	<p>1757/8</p>  <p>Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 97mm, Seal Ø - 71mm</p> <p>Eicher Jumbo Center</p>	

20 Teeth

<p>1096/8</p>  <p>Holes - 4, PCD - 150mm Plate - Round - 180mm (7") Height - 79mm, Seal Ø - 64mm</p> <p>Tata L/L 2523, 3118</p>	<p>1096/9</p>  <p>Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 74mm, Seal Ø - 64mm</p> <p>Tata L/L 2523, 3118</p>	<p>1096/9A</p>  <p>Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 94mm, Seal Ø - 64mm</p> <p>Tata L/L 2523, 3118</p>	<p>1096/13</p>  <p>Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 71mm, Seal Ø - Plain</p> <p>Tata L/L 2523, 3118</p>	
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

21 Teeth

<p>1059</p>  <p>Holes - 4, PCD - 150mm Plate - Round - 180mm (7") Height - 63mm, Seal Ø - 90mm</p> <p>Tata, L/L 4018, 4022</p>	<p>1066/3</p>  <p>Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 60mm, Seal Ø - 60mm</p> <p>Tata, L/L 4921, 4018</p>	<p>1206/2</p>  <p>Holes - 4, PCD - 100mm Plate - Round - 120mm (4 3/4") Height - 60mm, Seal Ø - 50mm</p> <p>Tata 909 Ecomet</p>	<p>1206/3</p>  <p>Holes - 4, PCD - 100mm Plate - Round - 120mm (4 3/4") Height - 84mm, Seal Ø - 60mm</p> <p>L/L 1613 Hino</p>	
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

23 Teeth

<p>834</p>  <p>Holes - 4, PCD - 69.8mm Plate - Round - 97mm Height - 72mm, Seal Ø - 47.6mm</p> <p>Tata ACE O/M</p>	<p>839</p>  <p>Holes - 4, PCD - 69.8mm Plate - Round - 90.5mm Height - 72mm, Seal Ø - 38.6mm</p> <p>Tata Magic</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

24 Teeth

<p>876/1</p>  <p>Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 89mm, Seal Ø - 85mm</p> <p>Tata 1109</p>	<p>1320</p>  <p>Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 89mm, Seal Ø - 85mm</p> <p>Bharat Benz / Tata</p>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

25 Teeth

<p>795/2</p>  <p>Holes - 4, PCD - 69mm Plate - Round - 97mm Height - 97mm, Seal Ø - 40mm</p> <p>Bolero NGT</p>	
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

27 Teeth

<p>786</p>  <p>Cross - 27.00x81.80 PT(CR-006) Height - 10mm, Seal Ø - 40mm</p> <p>Tata 207 DI</p>	
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

26 Teeth

<p>787</p>  <p>Cross - 27.00x81.80 PT(CR-006) Height - 86mm, Seal Ø - 40mm</p> <p>Sumo Spicer</p>	<p>796</p>  <p>Cross - 27.00x81.80 PT(CR-007) Height - 76mm, Seal Ø - 40mm</p> <p>Mahindra Jeep</p>	<p>796/1</p>  <p>Holes - 4, PCD - 69.8mm Plate - Round - (97mm) Height - 55mm, Seal Ø - 40mm</p> <p>Mahindra Jeep</p>	<p>867</p>  <p>Cross - 34.94x126.20 PT(CR-004) Height - 111mm, Sea Ø - 68mm</p> <p>Tata 1612 TC Spicer</p>	<p>934</p>  <p>Holes - 4, PCD - 69.8mm Plate - Round - 86mm Height - 55mm, Seal Ø - 39.5mm</p> <p>Mahindra Maximo / Plus</p>
<p>829</p>  <p>Holes - 4, PCD - 94.5mm Plate - Round - 113mm (4.5") Height - 71mm, Seal Ø - 47.5mm</p> <p>Tata Super ACE</p>	<p>1037/1 / 1066/1</p>  <p>Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 64mm, Seal Ø - 68mm</p> <p>Tata 1616, 1613 Turbo</p>	<p>999/1</p>  <p>Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 80mm, Seal Ø - 69mm</p> <p>Tata 2515, 2516</p>	<p>1096/4</p>  <p>Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 85mm, Seal Ø - 90.4mm</p> <p>Tata, Leyland LPK</p>	<p>1037/3, 1096/3</p>  <p>Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 95mm, Seal Ø - 71mm</p> <p>Tata, L/L 2515, 2518</p>
<p>1037/4</p>  <p>Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 108mm, Seal Ø - 70mm</p> <p>Tata, L/L 2515, 2518</p>	<p>1037/2, 999/2, 1066/2</p>  <p>Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 110mm, Seal Ø - 68mm</p> <p>Tata 3118, 4018</p>	<p>1096/5</p>  <p>Holes - 4, PCD - 150mm Plate - Round - 180mm (7") Height - 90mm, Seal Ø - 80.5mm</p> <p>Tata, L/L 3118 AMW</p>	<p>808</p>  <p>Holes - 6, PCD - 101.5mm Plate - Round - 120mm (4 3/4") Height - 59mm, Sea Ø - 68mm</p> <p>Tata 1210 SE</p>	<p>849</p>  <p>Holes - 8, PCD - 112mm Plate - Round - 130mm (5") Height - 60mm, Seal Ø - 68mm</p> <p>Tata 1312, 1612 Ex</p>
<p>847</p>  <p>Holes - 8, PCD - 112mm Plate - Round - 130mm (5") Height - 77mm, Seal Ø - 68mm</p> <p>Tata 2416 Long</p>	<p>999</p>  <p>Holes - 8, PCD - 112mm Plate - Round - 130mm (5") Height - 92mm, Seal Ø - 68mm</p> <p>Tata LPT 2515, 1613 LPT</p>	<p>1000</p>  <p>Holes - 8, PCD - 155.5mm Plate - Round - 175mm (7") Height - 94mm, Seal Ø - 71mm</p> <p>Leyland 3118</p>	<p>1048</p>  <p>Holes - 8, PCD - 130mm Plate - Round - 145mm (6") Height - 65mm, Seal Ø - 68mm</p> <p>Tata 2516, 2518</p>	<p>999/3</p>  <p>Holes - 8, PCD - 120.5mm Plate - Round - 145mm (6") Height - 80mm, Seal Ø - 68mm</p> <p>Tata 2515, 2516</p>
<p>1036, 1057</p>  <p>Holes - 8, PCD - 133.5mm Plate - Round - 165mm (6 1/2") Height - 76mm, Seal Ø - 68mm</p> <p>Tata 4018</p>	<p>1026</p>  <p>Holes - 4, PCD - 110mm Plate - Round - 130mm (5") Height - 80mm, Seal Ø - 69mm</p> <p>Tata Ultra Center</p>	<p>1047/1</p>  <p>Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 90mm, Seal Ø - 85mm</p> <p>Tata 1613 Pinion 6"</p>	<p>1047/2</p>  <p>Holes - 4, PCD - 150mm Plate - Round - 180mm (7") Height - 90mm, Seal Ø - 85mm</p> <p>Tata 1613 Pinion 7"</p>	<p>Blank space</p>
<p>1096/10</p>  <p>Holes - 4, PCD - 150mm Plate - Round - 180mm (7") Height - 93mm, Seal Ø - 71mm</p> <p>L/L 3718 Centre</p>	<p>1096/11</p>  <p>Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 85mm, Seal Ø - 85mm</p> <p>GB-1150</p>	<p>1096/12</p>  <p>Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 90mm, Seal Ø - 80mm</p> <p>GB-1150</p>	<p>1096/14</p>  <p>Holes - 4, PCD - 150mm Plate - Round - 180mm (7") Height - 90mm, Seal Ø - 80mm</p> <p>GB-1150</p>	<p>Blank space</p>
<p>1096/18</p>  <p>Holes - 4, PCD - 150mm Plate - Round - 180mm (7") Height - 95mm, Seal Ø - 85mm (Bore Ø - 71mm)</p> <p>L/L 3718 Center</p>	<p>1096/19</p>  <p>Holes - 4, PCD - 150mm Plate - Round - 180mm (7") Height - 94mm, Seal Ø - 79mm (Bore Ø - 66mm)</p> <p>L/L 3718 Center</p>	<p>1096/21</p>  <p>Holes - 4, PCD - 150mm Plate - Round - 180mm (7") Height - 93mm, Seal Ø - 71mm</p> <p>Tata L/L 2523 / 3118 (RSB)</p>	<p>1206/5</p>  <p>Holes - 4, PCD - 100mm Plate - Round - 120mm (4 3/4") Height - mm, Seal Ø - mm</p> <p>Tata 909 Ecomet</p>	<p>1320/1</p>  <p>Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 101mm (4") Seal Ø - mm</p> <p>Bharat Benz / Tata</p>

28 Teeth

 <p>978 Holes - 8, PCD - 155.5mm Plate - Round - 175mm (7") Height - 60mm, Seal Ø - 54mm Tata, L/L 2516, 2214</p>	 <p>978/1 Holes - 8, PCD - 155.5mm Plate - Round - 175mm (7") Height - 114mm, Seal Ø - 54mm Tata 2515, 2516</p>	 <p>978/2, 1074 Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 100mm, Seal Ø - 60mm L/L 2516, 3116, 3118</p>	 <p>978/4 Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 75mm, Seal Ø - 78mm L/L 3118, 2518 (Eaton)</p>	 <p>978/5 Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 95mm, Seal Ø - 78mm L/L 3118, 2518 (Eaton)</p>
 <p>978/7 Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 60mm, Seal Ø - 70mm Brg Ø - 72mm, Diamond Cut GB-850 L/L</p>	 <p>978/8 Holes - 4, PCD - 110mm Plate - Round - 130mm (5") Height - 90mm, Seal Ø - 54mm Brg Ø - 60mm, Cargo 909 (ZF)</p>	 <p>988 Holes - 4, PCD - 120.5mm Plate - Square - 118 x 103 Height - 83mm, Seal Ø - 54mm L/L 1616, Cargo</p>	 <p>1096/17 Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 78mm, Seal Ø - 56mm RSB 403 Series</p>	 <p>1096/20 Holes - 8, PCD - 112mm Plate - Round - 130mm (5") Height - 78mm, Seal Ø - 59mm RSB 403 Series Center</p>
 <p>1206/6 Holes - 4, PCD - 100mm Plate - Round - 120mm (4 3/4") Height - 91mm, Seal Ø - 54mm Tata 909 Ecomet</p>				

30 Teeth

 <p>978/6 Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 77mm, Seal Ø - 70mm Eaton Tata L/L</p>	 <p>1096/15 Holes - 4, PCD - 150mm Plate - Round - 180mm (7") Height - 117mm, Seal Ø - mm RSB Series 620</p>	 <p>1117 Holes - 4, PCD - 150mm Plate - Round - 180mm (7") Height - 81mm, Seal Ø - 70mm AMW 2518 Tipper</p>	 <p>1206/4 Holes - 4, PCD - 100mm Plate - Round - 120mm (4 3/4") Height - 64mm, Seal Ø - 56mm L/L 1613 Hino Tipper</p>	 <p>1292/2 Holes - 12, PCD - mm Plate - Round - 203mm (8") Height - 81mm, Seal Ø - 72mm AMW / Tata RSB</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

31 Teeth

 <p>956 Holes - 4, PCD - 104.5mm Plate - Square - 102 x 103 Height - 63mm, Seal Ø - 50mm Swaraj Mazda</p>	 <p>1059/5 Holes - 4, PCD - 150mm Plate - Round - 180mm (7") Height - 82mm, Seal Ø - 85mm AMW</p>	 <p>1117/1 Holes - 4, PCD - 150mm Plate - Round - 180mm (7") Height - 83mm, Seal Ø - 85mm Tata L/L Gear</p>	 <p>1117/3 Holes - 4, PCD - 150mm Plate - Round - 150mm (6") Height - 77mm, Seal Ø - 85mm Tata L/L Gear</p>	 <p>1292/4 Holes - 12, PCD - mm Plate - Round - 203mm (8") Height - 80mm, Seal Ø - 72mm AMW Eicher 40.40</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

32 Teeth

 <p>1292/3 Holes - 12, PCD - mm Plate - Round - 203mm (8") Height - 85mm, Seal Ø - 68mm AMW Eicher 40.40</p>	 <p>1757/9 Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 88mm, Seal Ø - 68mm (Caller Type) Eicher Jumbo Gear</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

38 Teeth

	 <p>1107 Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 75mm, Seal Ø - 71.3mm AMW 2515</p>	
--	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

34 Teeth

 <p>955 Holes - 4, PCD - 104.5mm Plate - Square - 102 x 103 Height - 56mm, Seal Ø - 47mm Swaraj Mazda</p>	 <p>985 Holes - 4, PCD - 120.5mm Plate - Square - 112 x 127 Height - 78mm, Seal Ø - 63mm L/L 2516 Interaxle</p>	 <p>985/1 Cross - 34.94x126.20 PT(CR-004) Height - 119mm, Seal Ø - 63.5mm L/L 2516 Interaxle</p>	 <p>976/2, 1039, 1067, 1078 Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 62mm, Seal Ø - 56mm L/L 2515, Eicher 35.31</p>	 <p>985/2, 1039/1, 1067/1 Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 85mm, Seal Ø - 64mm Tata, L/L 2516</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

34 Teeth

 <p>976 Holes - 8, PCD - 155.5mm Plate - Round - 175mm (7") Height - 61mm, Seal Ø - 56mm Leyland 2214, 2516</p>	 <p>976/1 Cross - 41.28x126.00 PT (CR-022) Height - , Seal Ø - Leyland 2214, 2516</p>	 <p>991 Holes - 8, PCD - 112mm Plate - Round - 130mm (5") Height - 77mm, Seal Ø - 63.5mm Tata 2516</p>	 <p>991/2 Holes - 8, PCD - 112mm Plate - Round - 130mm (5") Height - 78mm, Seal Ø - 66mm Tata 2515 Ex, 1613 LPT</p>	
 <p>1039/1A Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 80mm, Seal Ø - 64mm Tata 2515 Through Shaft</p>	 <p>1039/2 Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 80mm, Seal Ø - 64mm L/L Tata 2515 / 2518 Ex</p>	 <p>1046 Holes - 8, PCD - 130mm Plate - Round - 145mm (6") Height - 74mm, Seal Ø - 64mm Eicher 30.25, 35.31</p>	 <p>1046/1 Holes - 8, PCD - 130mm Plate - Round - 145mm (6") Height - 82mm, Seal Ø - 66mm Tata 2516, 2518 LPT</p>	 <p>1046/2 Holes - 8, PCD - 130mm Plate - Round - 145mm (6") Height - 75mm, Seal Ø - 54mm Tata 2516, 2518 LPT</p>
 <p>1079 Holes - 4, PCD - 150mm Plate - Round - 180mm (7") Height - 120mm, Seal Ø - 80mm 9 Speed GB</p>	 <p>1087 Holes - 4, PCD - 120.5mm Plate - Round - 145mm (6") Height - 60mm, Seal Ø - 56mm Eicher 30.25, 35.31</p>	 <p>1206/7 Holes - 4, PCD - 1000mm Plate - Round - 120mm (4 1/2") Height - 60mm, Seal Ø - 56mm Leyland Stag</p>	 <p>1206/8 Holes - 4, PCD - 1000mm Plate - Round - 120mm (4 1/2") Height - 73mm, Seal Ø - 68mm Leyland Stag</p>	
 <p>1757 Holes - 8, PCD - 112mm Plate - Round - 130mm (5") Height - 78mm, Seal Ø - 55.5mm Eicher 30.25, 35.31</p>	 <p>1757/2 Holes - 8, PCD - 120.5mm Plate - Square - 128 x 112 Height - 74mm, Seal Ø - 58mm Eicher 30.25, 35.31</p>	 <p>1757/4 Holes - 8, PCD - 155.5mm Plate - Round - 175mm (7") Height - 84mm, Seal Ø - 58mm Eicher Galaxy-Gear</p>	 <p>1757/5 Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 76mm, Seal Ø - 58mm Eicher Jumbo Center</p>	

39 Teeth

 <p>920, 977/2 Holes - 8, PCD - 155.5mm Plate - Round - 175mm (7") Height - 87mm, Seal Ø - 71.3mm Leyland 2516</p>	 <p>977 Holes - 8, PCD - 155.5mm Plate - Round - 175mm (7") Height - 87mm, Seal Ø - 76.3mm Leyland 2516</p>	 <p>977A Holes - 8, PCD - 155.5mm Plate - Round - 175mm (7") Height - 103mm, Seal Ø - 76.3mm Leyland 2516 BS III</p>	 <p>987 Holes - 4, PCD - 120.5mm Plate - Square - 112 x 128 Height - 87mm, Seal Ø - 69.7mm L/L 2516, Interaxle</p>	 <p>992 Holes - 8, PCD - 112mm Plate - Round - 130mm (5") Height - 85mm, Seal Ø - 76mm Tata 2515 / 2516</p>
 <p>978/3, 1038, 1075 Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 92mm, Seal Ø - 76.2mm Tata, L/L 2516, 2518</p>	 <p>1026/1 Holes - 4, PCD - 110mm Plate - Round - 145mm (6") Height - mm, Seal Ø - mm Tata Ultra Pinion</p>	 <p>1036/1, 1057/1 Holes - 8, PCD - 133.5mm Plate - Round - 165mm (6 1/2") Height - 90mm, Seal Ø - 76mm Tata, AMW 2516, 2518</p>	 <p>1038/1 Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 90mm, Seal Ø - 70mm Tata, L/L 2516, 2518</p>	 <p>1038/2 Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 75mm, Seal Ø - 71mm Leyland BS-4 Gear</p>
 <p>1097 Holes - 4, PCD - 120.5mm Plate - Square - 112 x 128 Height - 87mm, Seal Ø - 76.2mm L/L 2516, Interaxle</p>	 <p>1207 Holes - 4, PCD - 120.5mm Plate - Round - 145mm (6") Height - 102mm, Seal Ø - 76.2mm Leyland 1613 Hino</p>	 <p>1207/1 Holes - 4, PCD - 120.5mm Plate - Round - 145mm (6") Height - 86mm, Seal Ø - 67mm Leyland 1613 Hino</p>	 <p>1207/2 Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 86mm, Seal Ø - 67mm Leyland 1613 Hino</p>	 <p>1207/3 Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 105mm, Seal Ø - 76.2mm Leyland 1613 Hino</p>

39 Teeth

 <p>1057/2 Holes - 8, PCD - 133.5mm Plate - Round - 165mm (6½") Height - 110mm, Seal Ø - 76mm Tata, AMW 2516, 2518</p>	 <p>1059/1 Holes - 4, PCD - 150mm Plate - Round - 180mm (7") Height - 112mm, Seal Ø - 70mm Tata, Leyland 4018</p>	 <p>1059/1A Holes - 4, PCD - 150mm Plate - Round - 180mm (7") Height - 90mm, Seal Ø - 71mm Tata 2518 Pinion</p>	<p>1292 Holes - 12, PCD - mm Plate - Round - 203mm (8") Height - 85mm, Seal Ø - 70mm AMW / Tata RSB</p>	 <p>1757/6 Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 82mm, Seal Ø - 63mm Eicher 50.16 Center</p>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

41 Teeth

 <p>977/1 Holes - 8, PCD - 155.5mm Plate - Round - 175mm (7") Height - 80mm, Seal Ø - 76.3mm Leyland 2214</p>	 <p>986 Holes - 4, PCD - 150mm Plate - Square - 112 x 128 Height - 92mm, Seal Ø - 76.5mm Tata, L/L Interaxle</p>	 <p>986/1, 993/1 Cross - 41.28x126.00 PT(CR-022) Height - 118mm, Seal Ø - 76mm L/L 2516, Interaxle</p>	 <p>993 Holes - 8, PCD - 112mm Plate - Round - 130mm (5") Height - 91mm, Seal Ø - 76mm Tata 2516, Interaxle</p>	 <p>1026/2 Holes - 4, PCD - 110mm Plate - Round - 130mm (5") Height - mm, Seal Ø - mm Tata Ultra (Input)</p>
 <p>1058 Holes - 8, PCD - 133.5mm Plate - Round - 165mm (6½") Height - 93mm, Seal Ø - 76mm Tata, AMW, 2515, 2518</p>	 <p>1058/1 Holes - 8, PCD - 133.5mm Plate - Round - 165mm (6½") Height - 110mm, Seal Ø - 76mm Tata, AMW, 2515, 2518</p>	 <p>1059/2 Holes - 4, PCD - 150mm Plate - Round - 180mm (7") Height - 110mm, Seal Ø - 76.3mm Tata, Leyland 4018</p>	 <p>1059/8 Holes - 4, PCD - 150mm Plate - Round - 180mm (7") Height - 90mm, Seal Ø - 76mm Tata, Leyland 4018</p>	 <p>1076 Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 92mm, Seal Ø - 75mm Tata, L/L 2516, 2518</p>

44 Teeth

 <p>1059/3 Holes - 4, PCD - 150mm Plate - Round - 180mm (7") Height - 109mm, Seal Ø - 76.3mm Tata, L/L 4018,</p>	 <p>1077 Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 91mm, Seal Ø - 74.7mm Leyland 2515, 2518</p>	 <p>1096/6 Holes - 8, PCD - 155.5mm Plate - Round - 175mm (7") Height - 108mm, Seal Ø - 76mm L/L 2516 Input Shaft</p>	 <p>1207/4 Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 105mm, Seal Ø - 76.2mm L/L 1613 Hino</p>	 <p>1357/1 Holes - 4, PCD - 150mm Plate - Round - 180mm (7") Height - 90mm, Seal Ø - 77mm Mahindra Navi Star</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

46 Teeth

 <p>1059/4 Holes - 4, PCD - 150mm Plate - Round - 180mm (7") Height - 90mm, Seal Ø - 85mm Tata, L/L, AMW</p>	 <p>1059/6 Holes - 4, PCD - 150mm Plate - Round - 180mm (7") Height - 70mm, Seal Ø - 82.7mm Tata, L/L, AMW</p>	 <p>1059/7 Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 90mm, Seal Ø - 85mm Tata, L/L, AMW</p>	 <p>1096/7 Holes - 8, PCD - 155.5mm Plate - Round - 175mm (7") Height - 85mm, Seal Ø - 84mm L/L 2516 BS III</p>	 <p>1096/16 Holes - 4, PCD - 130mm Plate - Round - 150mm (6") Height - 81mm, Seal Ø - 83mm Leyland 3718</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<p>1292/1 Holes - 12, PCD - mm Plate - Round - 203mm (8") Height - 85mm, Seal Ø - 84mm AMW / Tata RSB</p>				

Cross Size 23.82 x 61.30 (Ambassdor)

2101



Flange - 4H x 8mm, Ø86mm, PCD - 70.5mm
Length (Compressed) - 10.5"

Pump Drive Assy. Hydra

2101/1



Flange - 4H x 8mm, Ø80mm, PCD - 70.5mm
Length (Compressed) - 8"

Pump Drive Assy. Crane

2101/2

Flange - 4H x 8mm, Ø98mm, PCD - 70.5mm
Length (Compressed) - 12"

Pump Drive Assy. Hywa Tipper - 12"

Cross Size 27.00 x 81.80 (Jeep)

2102

Flange - 4H x 10mm, Ø98mm, PCD - 79.4mm
Length (Compressed) - 11.5"

Pump Drive Assy. Hywa Tipper - 11"

2103

Flange - 4H x 10mm, Ø98mm, PCD - 79.4mm
Length (Compressed) - 15.5"

Pump Drive Assy. Hywa Tipper - 15"

2103/1

Flange - 4H x 10mm, Ø98mm, PCD - 79.4mm
Length (Compressed) - 20"

Pump Drive Assy. Hywa Tipper - 20"

Cross Size 27.00 x 81.80 (Jeep)

2104

Flange - 4H x 10mm, Ø98mm, PCD - 79.4mm
Length (Compressed) - 24.5"

Pump Drive Assy. Hywa Tipper - 25"

2105

Flange - 4H x 10mm, Ø98mm, PCD - 79.4mm
Length (Compressed) - 13"

JCB 3D N/M, Spindle Bore - 1"

2105/1

Flange - 4H x 10mm, Ø98mm, PCD - 79.4mm
Length (Compressed) - 13"

JCB 3D O/M, Spindle Bore - 28.5mm

Cross Size 30.16 x 106.3 (Canter)

2108



Flange - 6H x 10mm, Ø120mm, PCD - 99.5mm
Length (Compressed) - 11.5"

Trans. Shaft - L & T Digger O/M

2108/1



Flange - 8H x 10mm, Ø120mm, PCD - 99.5mm
Length (Comp.) - 10", Spigot - Ø75 (Female)

Trans. Shaft - L & T Digger N/M

2109



Length (Compressed) - 310mm
Trans. Shaft - Terrex N/M

34.95 x 126.00 ← Cross Size → 38.04 x 56.7 / 35.00 x 106 ← Cross Size → 34.95 x 126.00

2112



Flange - 4H x 13mm, Base - 120 x 145, PCD - 120.5mm

Rear Shaft Assy. JCB 3D

2112/1



Rear Shaft Half (Male Assy.) JCB 3D

Blank space for image and description.

Cross Size 35.00 x 106.00 (JCB 3DX)

2113



Flange - 4H x 13mm, Base - Square, PCD - 120.5mm

Rear Shaft Assy. JCB 3Dx

2113/1



Rear Shaft Half (Male Assy.) JCB 3Dx

Blank space for image and description.

Cross Size 35.00 x 106.00 (JCB 3DX)

2114



Length (Compressed) - 27 "
Rear Shaft Assy. JCB 3DX Super (4x4)

2114/1



Length (Compressed) - 25 "
Rear Shaft Assy. JCB 3DX Super (4x4)

Blank space for image and description.

<p>3100</p> <p>Tata Ace</p>	<p>3101</p> <p>Tata 407</p>	<p>3102</p> <p>Tata 608</p>	<p>3103</p> <p>Tata 709 (With Seal)</p>	<p>3107</p> <p>Tata 1210</p>
<p>3104</p> <p>1109 - Ultra GB-550</p>	<p>3104/1</p> <p>Tata Prima GB-950</p>	<p>3108</p> <p>Tata SE (With Seal)</p>	<p>3110</p> <p>Tata 1613 TC</p>	<p>3111</p> <p>Tata Hywa (With Seal)</p>
<p>3114</p> <p>Tata 2416</p>	<p>3115</p> <p>Tata 2515 GB-50 (With Seal)</p>	<p>3116</p> <p>Tata GB-75 (With Seal)</p>	<p>3116/1</p> <p>Tata GB-75 Long (TC-1150)</p>	
<p>3121</p> <p>Leyland Cargo</p>	<p>3122</p> <p>Leyland 370</p>	<p>3123</p> <p>Tusker-Mark II</p>	<p>3124</p> <p>Leyland ZF</p>	<p>3124/1</p> <p>Leyland ZF (Long)</p>
<p>3125</p> <p>9 Speed Gear Box Leyland 4921</p>	<p>3125/1</p> <p>6 Speed Gear Box Leyland ZF Round</p>			
<p>3141</p> <p>AMW</p>				

23.82 x 61.30 (Amb.) ← Cross Size → 23.82 x 61.30 (Amb.) ← Cross Size → 27.00 x 81.80 (JEEP)

<p>2121</p> <p>Flange - 4H x 8mm, Ø86mm, PCD - 70.5mm</p> <p>Power Pack Assly. Tractor</p>	<p>2122</p> <p>Flange - 4H x 8mm, Ø86mm, PCD - 70.5mm</p> <p>Assly. Godrej Fork Lift</p>	<p>2151 & 2151/1</p> <p>Length (Compressed) - 200mm & 245mm</p> <p>Mini Tractor Captain</p>
----------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------

Brake Disc Rotor

<p>3201</p>  <p>Tata ACE</p>	<p>3201/1</p>  <p>Tata ACE Super</p>	<p>3201/2</p>  <p>Tata Ace Dicor</p>	<p>3201/3</p>  <p>Tata Ace Mega</p>	
<p>3202</p>  <p>Tata Indica O/M</p>	<p>3202/1</p>  <p>Tata Indica NM</p>	<p>3202/2</p>  <p>Tata Indica Vista (Petrol)</p>		
<p>3203</p>  <p>Tata Sumo O/M</p>	<p>3203/1</p>  <p>Sumo N/M, 207 DI</p>	<p>3203/2</p>  <p>Dia - 280mm Victa, Xenon - 11"</p>	<p>3203/3</p>  <p>Dia - 296mm Sumo, Xenone - 11½"</p>	<p>3203/4</p>  <p>Dia - 263mm Tata 207 DI Rx</p>
<p>3203/5</p>  <p>Dia - 270mm Safari Dicor, Telcoline</p>	<p>3203/6</p>  <p>Dia - 280mm Safari Dicor, Telcoline</p>	<p>3203/7</p>  <p>Dia - 302mm Tata Safari, Xenon - 12"</p>		
<p>3204</p>  <p>Tata Yodha 2WD</p>	<p>3204/1</p>  <p>Tata Yodha 4WD</p>			
<p>3221</p>  <p>Mahindra Bolero O/M</p>	<p>3221/1</p>  <p>Bolero N/M, Maxi Truck</p>	<p>3221/2</p>  <p>Bolero Rear</p>	<p>3221/3</p>  <p>Bolero Front</p>	<p>3221/4</p>  <p>Bolero Sensor Typer</p>
<p>3222</p>  <p>Scorpio M2 DI</p>	<p>3222/1</p>  <p>Scorpio CRDI</p>	<p>3222/2</p>  <p>Scorpio S2 / S6</p>	<p>3222/3</p>  <p>Scorpio S4 / S8 / S10</p>	

Brake Disc Rotor

<p>3223</p>  <p>(82mm Bore)</p> <p>Maximo Loader N/M</p>	<p>3223/1</p>  <p>Maximo / Jeeto</p>	<p>3223/2</p>  <p>(78mm Bore)</p> <p>Maximo Loader O/M</p>	<p>3223/3</p>  <p>Mahindra Supro</p>	
<p>3224</p>  <p>Mahindra Xylo - RH</p>	<p>3224/1</p>  <p>Mahindra Xylo - LH</p>		<p>3226</p>  <p>M - Hawk With Sensor RH</p>	<p>3226/1</p>  <p>M - Hawk With Sensor LH</p>
<p>3225</p>  <p>XUV 500 Rear</p>	<p>3225/1</p>  <p>XUV 500 Front</p>	<p>3225/2</p>  <p>XUV 300 Front</p>	<p>3225/3</p>  <p>XUV 300 Rear</p>	
<p>3231</p>  <p>Maruti 800 / Van</p>	<p>3232</p>  <p>Maruti Alto O/M</p>	<p>3232/1</p>  <p>Alto N/M, WagonR, Zen</p>	<p>3233</p>  <p>Maruti Swift Diesel</p>	<p>3234</p>  <p>Maruti Eeco</p>
<p>3241</p>  <p>Toyota Innova</p>	<p>3241/1</p>  <p>Toyota Qualis</p>	<p>3245</p>  <p>Cheverlet Tavera</p>	<p>3261</p>  <p>Tempo Traveller O/M</p>	<p>3261/1</p>  <p>Tempo Traveller N/M</p>
<p>3271</p>  <p>4 - Holes</p> <p>Leyland Dost</p>	<p>3271/1</p>  <p>5 - Holes</p> <p>Leyland Dost Plus</p>			

WARRANTY

WE WILL REPLACE, WITHOUT ANY EXTRA COST, PRODUCT DEFECTIVE DUE TO WORKMANSHIP OR RAW MATERIAL, PROVIDED NO MISHANDLING HAS TAKEN PLACE.

Our Stockist

Mfd. By:- CENRON AUTO IMPEX, ANAND PARBAT, N.DELHI - 110005 (INDIA)

Hub Drum

<p>3301</p>  <p>Tata ACE</p>	<p>3303</p>  <p>Tata Sumo N/M</p>	<p>3304</p>  <p>Tata Iris / Zip Front</p>	<p>3304/1</p>  <p>Tata Iris / Zip Rear</p>	
<p>3321</p>  <p>Half Tapper</p> <p>Mahindra Bolero O/M</p>	<p>3321/1</p>  <p>Full Tapper</p> <p>Maxi Truck, Bolero N/M</p>	<p>3322</p>  <p>Scorpio S2 / S4 / S6 / S8 / S10</p>	<p>3323</p>  <p>Maximo Loader</p>	<p>3323/1</p>  <p>Maximo Passenger</p>
<p>3371</p>  <p>4 - Holes</p> <p>Leyland Dost</p>	<p>3371/1</p>  <p>5 - Holes</p> <p>Leyland Dost Plus</p>		<p>3331</p>  <p>Maruti Van Rear</p>	<p>3323/2</p>  <p>Mahindra Jeeto</p>

Front Hub

<p>3471</p>  <p>Leyland Dost</p>	<p>3471/1</p>  <p>Leyland Dost Plus</p>		<p>3401</p>  <p>Tata ACE</p>	
<p>3420</p>  <p>Mahindra-Jeep Diesel</p>	<p>3421</p>  <p>Bolero, Maxi Truck Front</p>	<p>3421/1</p>  <p>Bolero, Maxi Truck Rear</p>	<p>3422</p>  <p>Scorpio S2 / S4 / S6 / S10</p>	<p>3423</p>  <p>Maximo</p>

Spindle - Mahindra & Mahindra


<p>3521</p>  <p>Double Brg - Ø 41 - Long Coller</p> <p>Utility Picup 4 x 4</p>	<p>3521/1</p>  <p>Single Brg - Ø 40 - Solid</p> <p>Maxxi Truck N/M</p>	<p>3522</p>  <p>Double Brg - Ø 41 - Solid</p> <p>Jeep Picup</p>	<p>3523</p>  <p>Double Brg - Ø 41 - Big Coller</p> <p>M & M Picup</p>	<p>3524</p>  <p>Double Brg - Ø 41 - Small Coller</p> <p>M & M Picup</p>
<p>3531</p>  <p>Front Axle - 10 Teeth</p> <p>Utility Picup 4 x 4</p>	<p>3532</p>  <p>Axel Flange - 10 Teeth</p> <p>Utility Picup 4 x 4</p>			

<p>2501</p>  <p>Maruti 800</p>	<p>2502</p>  <p>Maruti Alto / Waganor</p>	<p>2502/1</p>  <p>Alto - K10 / Estilo</p>	<p>2503</p>  <p>Maruti Zen / Esteem</p>	<p>2504</p>  <p>Maruti Swift Diesel</p>		
<p>2511</p>  <p>Jeep DI - A Groove</p>	<p>2511/1</p>  <p>Jeep DI - B Groove</p>	<p>2514</p>  <p>Scorpio CRDI</p>	<p>2514/1</p>  <p>Scorpio CRDI <small>(White Pipe)</small></p>	<p>2515</p>  <p>Scorpio M2 DI</p>	<p>2515/1</p>  <p>Scorpio M Hawk</p>	<p>2516</p>  <p>Balero / Maxx Turbo</p>
<p>2517</p>  <p>Maximo Cargo</p>	<p>2517/1</p>  <p>Maximo Passenger</p>	<p>2518</p>  <p>Mahindra Jeeto</p>		<p>2531</p>  <p>Tata Iris / mahindra Champion</p>	<p>2532</p>  <p>Tata Ace</p>	<p>2532/1</p>  <p>Tata Indica Vista / Indigo</p>
<p>2533</p>  <p>Tata 207 / Sumo</p>	<p>2533/1</p>  <p>Tata 207 DI</p>	<p>2534</p>  <p>Tata Sumo Gold</p>	<p>2534/1</p>  <p>Tata 407 Turbo</p>	<p>2534/2</p>  <p>Tata 407 Ex. 410</p>	<p>2534/3</p>  <p>Tata 407 - BS-IV</p>	
<p>2537</p>  <p>Tata Ultra</p>	<p>2538</p>  <p>Tata Marcopolo</p>	<p>2541</p>  <p>Tata 1109 Euro - 2 <small>(Small Hose)</small></p>	<p>2541/1</p>  <p>Tata 1109 Euro - 2 <small>(Big Hose)</small></p>	<p>2542</p>  <p>Tata 1210</p>	<p>2543</p>  <p>Tata 1312</p>	<p>2544</p>  <p>Tata Cummins</p>
<p>2551</p>  <p>Leyland Dost</p>	<p>2554</p>  <p>Leyland 370</p>	<p>2555</p>  <p>Leyland 400</p>	<p>2556</p>  <p>Leyland Tusker</p>			
<p>2557</p>  <p>L/L Hino 6D</p>	<p>2557/1</p>  <p>L/L Hino Euro 2</p>	<p>2557/2</p>  <p>L/L Hino Euro 3</p>	<p>2557/3</p>  <p>L/L Hino Euro 2 <small>Rotor Dia - 75mm</small></p>	<p>2557/4</p>  <p>L/L Hino Euro 4</p>		

RSB / Spicer Series

	CR.HOLDER			HALF YOKE			YOKE & TEETH / BOTTLE			SHAFT ASSLY.		
	Part No	Hole-Dia	Ht.	Part No.	Pipe	Ht.	Part No	Teeth-Pipe	Yoke x Teeth	Part No.	Plate Size	Length
Spl.90 Series	990/2	- 8H-Ø5"	- 113	984/3	- Ø3½"	- 125	Tn-996/1	- 16T-Ø3½"	- 12" x 10½"	1060/1	# 4H-Ø6"	25"
	1041/1	- 8H-Ø6"	- 116	972	- Ø4"	- 128	974/3+5/3	- 16T-Ø4"	- 10" x 9"	1060/2	# 4H-Ø6"	27"
	1051/6	- 8H-Ø6½"	- 116	972/1	- Ø4"	- 135	Tn-974/1	- 16T-Ø4"	- 12" x 10½"	1064/4	# 4H-Ø6"	29"
	1051/1	- 8H-Ø6½"	- 125				1113/1+14 HD	- 16T-Ø4"	- 12" x 10½"	1060/3	# 4H-Ø6"	31"
	971	- 8H-Ø7"	- 115				1083 HD	- 16T-Ø4"	- 14" x 11½"	1130/1	# 4H-Ø6"	23"
	971/3	# 4H-Ø5"	- 110				1084 HD	- 16T-Ø4"	- 14" x 13"	1110	# 4H-Ø6"	24"
	971/1	# 4H-Ø6"	- 110				1124 Y&B	- 16T-Ø4"	- 13" x 7"	1120	# 4H-Ø6"	27"
	971/2	# 4H-Ø6"	- 127				1124/2 Y&B	- 16T-Ø4"	- 14" x 8"			
							1133/1 Y&B	- 16T-Ø4"	- 15" x 10"			
							1135 Y&B	- 16T-Ø4"	- 15" x 12"			
							1080 Y&B	- 20T-Ø4"	- 15" x 9"			
							Tn-996	- 30T-Ø3½"	- 12" x 10½"			
						974/2+5/2	- 30T-Ø4"	- 10" x 9"				
						Tn-974	- 30T-Ø4"	- 12" x 10½"				
Spicer 1550 Series	895	- 4H - Sq.	- 80	896	- Ø3"	- 105	898+890	- 16T-Ø3"	- 8" x 7½"	1085	- 4H - Sq	L-29"
	983	- 4H - Sq.	- 105	1202	- Ø3½"	- 105	898+891	- 16T-Ø3½"	- 8" x 7½"	1085C	- 4H - Sq	L-31"
	812/1	- 6H - Ø4½"	- 90	984	- Ø3½"	- 115	981+982	- 16T-Ø3½"	- 12½" x 10½"	1085X	- 4H - Sq	L-29" (Cr./L TC.)
	1201/2	- 8H - Ø5"	- 114	984/2-	Ø4"	- 107	981/1+82/1	- 28T-Ø3½"	- 12½" x 11½"	1085Y	- 4H - Sq	L-31" (Cr./L TC.)
	1088/1	- 8H - Ø6"	- 106	984/4-	Ø4"	- 125	981/2+82/2	- 16T-Ø3½"	- 14" x 12½"			
	1201/1	# 4H - Ø4½"	- 94				981/3+982/3	- 30T-Ø3½"	- 14" x 12½"			
	1088	# 4H - Ø6"	- 100				1082	- 16T-Ø4"	- 13" x 11"			
							1204+05	- 16T-Ø3½"	- 9½" x 9"			
						1204/1+05/1	- 16T-Ø3½"	- 10½" x 10"				
Spicer 1710 Series	1051	- 8H-Ø6½"	- 135	1052	- Ø4"	- 130	1113+14 HD	16T-Ø4"	13" x 10½"			
	1051/2	# 4H-Ø6"	- 120				1054+55 HD	16T-Ø4"	11" x 10½"			
	1051/4	# 4H-Ø6"	- 130				1094+95 HD	16T-Ø4"	13" x 11½"			
	1051/3	# 4H-Ø7"	- 120									
	1291	- 12H-Ø8"	- 130									
Spicer 1810 Series	1281	- 8H - Ø6½"	- 136	1282	- Ø4½"	- 165						
Spicer 2040 Series	1301	- 8H-Ø5"	- 132	1305	- Ø4	- 155	1310/1 Y&B	- 16T-Turn Ø91 - 14" x 9" HD	1325	# 4H-Ø6"	- 24"	
	1302	# 4H-Ø6"	- 120	1306	- Ø4½" Turn Ø114	- 153	1310 Y&B	- 16T-Turn Ø95 - 15" x 9" HD	1325/1	# 4H-Ø6"	- 25"	
	1302/1	# 4H-Ø6"	- 135				1308/2 Y&B	- 34T-Turn Ø91 - 12" x 9"	1325/2	# 4H-Ø6"	- 26"	
	1303	# 4H-Ø7"	- 112				1308/1 Y&B	- 34T-Turn Ø91 - 14" x 9"	1325/3	# 4H-Ø6"	- 28"	
	1303/1	# 4H-Ø7"	- 137				1308 Y&B	- 34T-Turn Ø91 - 15" x 10"				
							1309 Y&B	- 34T-Turn Ø114 - 13½" x 9½"				
						1063/1 BY	- 30T-Ø4"+HY - 13"					
Spicer 2045 Series	1251	# 4H-Ø6"	- 125	1252	- Ø4" Turn Ø95	- 162	1255 BY	- 30T - Ø4+HY - 13.5"	1250	# 4H-Ø7"	- 24"	
	1251/3	# 4H-Ø6"	- 140	1252/2	- Ø4½" Turn Ø100 - 162		1254/6 Y&B	- 30T-Turn Ø95 - 16" x 10"	1250/1	# 4H-Ø7"	- 25"	
	1251/1	# 4H-Ø7"	- 125	1252/1	- Ø4½" Turn Ø112 - 152		1254/4 Y&B	- 30T-Turn Ø95 - 13" x 8"	1250/2	# 4H-Ø7"	- 26"	
	1251/2	# 4H-Ø7"	- 140				1254/5 Y&B	- 30T-Turn Ø95 - 15" x 9"				
							1254/3 Y&B	- 30T-Turn Ø112 - 14" x 8"				
						1254 Y&B	- 30T-Turn Ø100 - 15½" x 10"					
Spicer 2055 Series	1261	- 10H - Ø7"	- 140				1264 Y&B	- 36T-Turn Ø112 14" x 8"				
	1261/1	# 4H - Ø7"	- 135	1262	- Ø4½" Turn Ø112	- 152	1264/1 Y&B	- 38T-Turn Ø112 15" x 8"				
	1261/2	# 4H - Ø7"	- 150									
Spicer 2060 Series	1271/1	# 4H-Ø7"	-	1272	- Ø5" Turn Ø118	- 152	1274 Y&B	- 40T-Turn Ø118 - 14" x 9"				
RSB-325 Series	1021	- 8H-Ø5"	- 110	1022	- Ø3½"	- 120	1024 Y&B	- 20T-Ø3½"	- 12" x 7"			
	1021/3	- 8H-Ø6"	- 106	1022/2	- Ø3½"	- 128	1024/1 Y&B	- 20T-Ø4"	- 12" x 7"			
	1021/5	- 8H-Ø6"	- 116	1022/1	- Ø4"	- 128	1024/2 Y&B	- 20T-Ø4"	- 16" x 10"			
	1021/1	# 4H-Ø5"	- 105									
	1021/2	# 4H-Ø6"	- 110									
	1021/4	# 4H-Ø6"	- 127									
RSB-403 Series	1031/7	- 8H-Ø5"	- 118	1032	- Ø3½"	- 128	1034 Y&B	- 20T-Ø3½"	- 13" x 7"	1030/2	- 8H-Ø5"	- 27" (Cr.1312)
	1031/4	- 8H-Ø6"	- 130	1032/2	- Ø4"	- 128	1034/1 Y&B	- 20T-Ø4"	- 13" x 7"	1030/3	- 8H-Ø5"	- 29" (Cr.1312)
	1031	- 8H-Ø6½"	- 135	1032/1	- Ø4"	- 145	1034/2 Y&B	- 20T-Ø4"	- 14" x 9"	1130	# 4H-Ø6"	- 24"
	1031/3	- 8H-Ø7"	- 135				1034/3 Y&B	- 20T-Ø4"	- 16" x 10"	1030/1	# 4H-Ø6"	- 23"
	1031/2	# 4H-Ø6"	- 110				1133/2 Y&B	- 16T-Ø4"	- 14" x 8"	1030	# 4H-Ø6"	- 26"
	1031/1	# 4H-Ø6"	- 128				1024/2 Y&B	- 20T-Ø4"	- 16" x 10"	1030/4	# 4H-Ø6"	- 29"
RSB-490 Series	1061/5	- 8H-Ø6"	- 126	1062	- Ø4"	- 140	1064/4 Y&B	- 16T-Ø4"	- 15" x 9"	1060C	# 4H-Ø6"	- 24"
	1061	- 8H-Ø6½"	- 126	1062/1	Ø4" (Deep)	- 140	1064/5 Y&B	- 16T-Ø4"	- 16" x 10"	1060B	# 4H-Ø6"	- 25"
	1061/1	# 4H-Ø6"	- 116				1064 Y&B	- 30T-Ø4"	- 13" x 8"	1060D	# 4H-Ø6"	- 26"
	1061/3	# 4H-Ø6"	- 134				1064/1 Y&B	- 30T-Ø4"	- 15" x 9"	1060	# 4H-Ø7"	- 23"
	1061/2	# 4H-Ø7"	- 112				1064/2 Y&B	- 30T-Ø4"	- 16" x 10"	1060A	# 4H-Ø7"	- 27"
	1061/4	# 4H-Ø7"	- 128				1064/6 Y&B	- 30T-Turn Ø112"	- 16" x 9"			
RSB-585 Series	1285	# 4H-Ø6"	- 130	1286	- Ø4"	- 157	1287	- 30T-Ø4"	- 15" x 9"			
RSB-590 Series	1251	# 4H-Ø6"	- 125	1252	- Ø4" Turn Ø95	- 162	1255 BY	- 30T - Ø4+HY - 13.5"	1250	# 4H-Ø7"	- 24"	
	1251/3	# 4H-Ø6"	- 140	1252/2	Ø4½" Turn Ø100	- 162	1254/6 Y&B	- 30T-Turn Ø95 - 16" x 10"	1250/1	# 4H-Ø7"	- 25"	
	1251/1	# 4H-Ø7"	- 125	1252/1	Ø4½" Turn Ø112	- 152	1254/4 Y&B	- 30T-Turn Ø95 - 13" x 8"	1250/2	# 4H-Ø7"	- 26"	
	1251/2	# 4H-Ø7"	- 140				1254/5 Y&B	- 30T-Turn Ø95 - 15" x 9"				
							1254/3 Y&B	- 30T-Turn Ø112 - 14" x 8"				
						1254 Y&B	- 30T-Turn Ø100 - 15½" x 10"					
RSB-620 Series	1261	- 10H - Ø7"	- 140				1264 Y&B	36T-Turn Ø112 14" x 8"				
	1261/1	# 4H - Ø7"	- 135	1262	- Ø4½" Turn Ø112	- 152	1264/1 Y&B	38T-Turn Ø112 15" x 8"				
	1261/2	# 4H - Ø7"	- 150									

Cenron®



Welcome at www.cenron.org
Mfd. by : CENTRON AUTO IMPEX, ANAND PARBAT, N. DELHI-110005 (INDIA)
E-mail : mantry@cenron.org, mantrycenron@gmail.com